



STINGER[®]

MOISTURE DEFENSE SYSTEMS

PRODUCT CATALOG



STINGER®

MOISTURE DEFENSE SYSTEMS

COLLATED CAP FASTENING SYSTEMS



**CN100B
CAP NAILER**

SYNTHETIC UNDERLAYMENT
ROOFING FELT
HOUSEWRAP
ROLLED INSULATION
TEMPORARY TARPS
LUMBER WRAP
FOAM BOARD



For Exclusive Use
With NailPac®
(1" Electro Galvanized
or 304 Stainless Steel)
PAGE 7



**CS150B
CAP STAPLER**

SYNTHETIC UNDERLAYMENT
ROOFING FELT
HOUSEWRAP
TEMPORARY TARPS
LUMBER WRAP
FOAM BOARD



For Exclusive Use
With StaplePac®
(5/8", 7/8", 1 1/4", 1 1/2")
PAGE 9



**CH38-2
CAP HAMMER**

SYNTHETIC UNDERLAYMENT
ROOFING FELT
HOUSEWRAP
ROLLED INSULATION
TEMPORARY TARPS
LUMBER WRAP
FOAM BOARD



For Exclusive Use
With StaplePac®
(3/8")
PAGE 10



**CH38A
CAP HAMMER**

SYNTHETIC UNDERLAYMENT
ROOFING FELT
HOUSEWRAP
ROLLED INSULATION
TEMPORARY TARPS
FOAM BOARD



For Exclusive Use
With StaplePac®
(3/8")
PAGE 11



HT38 HAMMER TACKER
For Use With 3/8 A-11 Staples PAGE 11




Check out the STINGER
YouTube Channel to learn
more about our tools and
fasteners.


Please check with your local building code official for proper material usage and application in your area.

SYNTHETIC UNDERLAYMENT

BETTER PROTECTION BELOW THE SURFACE PAGE 14



EX025



EX035



EX050

FASTENERS



HAND DRIVE CAPS



HAND DRIVE ROOFING NAILS



COIL ROOFING NAILS



FINE WIRE STAPLES

ACCESSORIES

MINI SNOWGUARD™

Stop snow and ice from sliding off your metal roof.



CAP FASTENING SYSTEMS

CN100B CAP NAILER...7

CS150B CAP STAPLER...9

CH38-2 CAP HAMMER...10

CH38A CAP HAMMER...11

HT38 HAMMER TACKER...11

EXO UNDERLAYMENT

EX025...14

EX035...14

EX050...15

CO-BRANDING...15

FASTENERS

HAND DRIVE CAPS...16

HAND DRIVE ROOFING NAILS...19

COIL ROOFING NAILS...20

FINE WIRE STAPLES...21

ACCESSORIES

MINI SNOWGUARD™...22

MERCHANDISING

MERCHANDISERS...23

The STINGER®


MOISTURE DEFENSE

SYSTEM


At STINGER, we challenge the status quo and refuse to settle for the way it's always been done. We exist to build differently ensuring your peace of mind extends far below the surface. Our EXO synthetic underlayment is engineered to repel water and protect the roof deck from moisture penetration. Combine our synthetic underlayment with our collated cap fasteners to create a moisture barrier that's tested and approved in winds up to 180mph. Because when it comes to protecting your home- **it's all about what lies underneath.**



ROOFING MOISTURE DEFENSE



SIDE WALL MOISTURE DEFENSE





WHY CAPS ARE IMPORTANT TO SECURING UNDERLAYMENT

- Most shingle manufacturers require the use of a cap for adherence to their warranties.
- The Insurance Institute for Business & Home Safety (IBHS) recommends the use of cap nails to extend the life of your roof through their Fortified Roof™ program.
- Caps are an important component of a complete moisture management system—especially if shingles blow off in the event of a storm.



WHY CHOOSE STINGER® NAILPAC®?

- NailPac is tested and approved for winds up to 180 mph—staples alone fail at 50 mph.
- NailPac helps create an effective seal, reducing moisture penetration compared to A-11 staples.
- NailPac can withstand UV exposure up to 10x longer than Hand Drive Caps.
- NailPac delivers a consistent finish every time—compared to hand drive caps that are prone to over driving.
- Installing NailPac with the STINGER CN100B Cap Nailer is one of the safest ways to secure underlayment as it provides three points of contact with the roof, unlike swinging a hammer to install hand drive fasteners.





CN100B CAP NAILER



THE ONLY WAY TO LAY IT DOWN

The **STINGER® CN100B** is our premier pneumatic cap nailing innovation. When you need to quickly and safely lay down underlayment, this is the tool for you. And with a fastener capacity of 200 caps and nails, reloading is easy and efficient - another time saver.

FOR EXCLUSIVE USE WITH NAILPAC

- Shoots 1 in. x .083 nails with full 1 in. plastic caps
- Holds 200 caps and 200 nails
- Fires 5 cap nails per second (max. cycle rate/second)
- Choose between bump fire or sequential fire mode
- Tool-free depth of drive adjustment
- Lightweight, compact design
- 360° tool-free adjustable exhaust
- Carrying case included



TOOL

SKU#	DESCRIPTION	QTY	CT./MASTER
0136252	CN100B	1	2

FASTENERS

SKU#	DESCRIPTION	RING SHANK NAIL COATING	QTY	CT./MASTER
0136260	1 in. x .083 (25mm x 2mm)	ELECTRO GALVANIZED	2000	4
0136264	1 in. x .083 (25mm x 2mm)	304 STAINLESS STEEL	2000	4

STINGER NailPac

- For use with STINGER CN100B & CN100 Cap Nailer only
- 2000 ct. box
- 10 reels of 200 collated plastic caps
- 10 coils of 200 ring shank nails
- Each NailPac covers approximately 30 square*
- Meets ASTM F1667 requirements
- Florida Product Approval - FL35349

*30 square for all standard applications of synthetic underlayment, if installation instructions are followed correctly.



CS150B CAP STAPLER

A STAPLE IN BETTER BUILDING

The **STINGER® CS150B** offers builders proven performance in a versatile tool perfect for roofing and sidewall installations. The CS150B is the best practice for securing synthetic underlayments, roofing felt, foam board, and housewrap.

FOR EXCLUSIVE USE WITH STAPLEPAC

- Shoots 5/8 in., 7/8 in., 1 ¼ and 1 ½ in. 18GA staples with full 1 in. plastic caps
- Holds 200 caps and 200 staples
- Fires 5 cap staples per second (max. cycle rate/second)
- Choose between bump fire or sequential fire mode
- Lightweight, compact design
- 360° tool-free adjustable exhaust
- Carrying case included



STINGER StaplePac

- For use with STINGER CS150B & CS150 Cap Staplers only
- 2000 ct. box
- 10 reels of 200 collated plastic caps
- 20 strips of 100 staples made from Galvanized wire
- Each StaplePac covers approximately 30 square*
- Meets ASTM F1667 requirements

TOOL

SKU#	DESCRIPTION	QTY	CT./MASTER
0136012	CS150B	1	2

FASTENERS

SKU#	DESCRIPTION	QTY	CT./MASTER
0136024	5/8 in. (16 mm) 18GA StaplePac	2000	6
0136044	7/8 in. (22 mm) 18GA StaplePac	2000	6
0136074	1 ¼ in. (32 mm) 18GA StaplePac	2000	6
0136094	1 ½ in. (38 mm) 18GA StaplePac	2000	6

*30 square for all standard applications of synthetic underlayment, if installation instructions are followed correctly.



CH38-2 CAP HAMMER



The **STINGER® CH38-2** is the economical, non-pneumatic alternative to stapling. The CH38-2 is an award-winning champion for installing housewrap, underlayment, and rolled insulation.

FOR EXCLUSIVE USE WITH STAPLEPAC

- Increased weld and strength on cutter and trigger areas
- Increased internal handle strength
- Improved staple track and spring design
- Added handle grip to aid performance



STINGER StaplePac

- For use with STINGER Cap Hammers only
- 2016 ct. box
- 12 reels of 168 collated plastic caps
- 24 strips of 84 staples made from Galvanized wire
- Each StaplePac covers approximately 30 square*
- Meets ASTM F1667 requirements

TOOL

SKU#	DESCRIPTION	QTY	CT./MASTER
0136400	CH38-2	1	6

FASTENERS

SKU#	DESCRIPTION	QTY	CT./MASTER
0136420	3/8 in. (9.5mm) StaplePac	2016	6

*30 square for all standard applications of synthetic underlayment, if installation instructions are followed correctly.

CH38A CAP HAMMER



The **STINGER® CH38A** is our non-pneumatic autofeed cap hammer, which is ideal for installing housewrap and underlayment. Unlike the CH38-2, the CH38A does not require a trigger to advance the cap - it advances with each strike.

FOR EXCLUSIVE USE WITH STAPLEPAC

- Trigger free operation
- Improved track and feed spring design
- Easy to load
- Compact design
- Improved staple collation



STINGER StaplePac

- For use with STINGER Cap Hammers only
- 2016 ct. box
- 12 reels of 168 collated plastic caps
- 24 strips of 84 staples made from Galvanized wire
- Each StaplePac covers approximately 30 square*
- Meets ASTM F1667 requirements

TOOL

SKU#	DESCRIPTION	QTY	CT./MASTER
0136401	CH38A	1	6

FASTENERS

SKU#	DESCRIPTION	QTY	CT./MASTER
0136420	3/8 in. (9.5 mm) StaplePac	2016	6

**30 square for all standard applications of synthetic underlayment, if installation instructions are followed correctly.*

GENERAL CONSTRUCTION

HT38 HAMMER TACKER

- Quick load magazine
- Holds 168 - 3/8 in. 21GA staples
- Light and easy to maneuver
- For use with STINGER 3/8 in. A-11 Staples



SKU#	DESCRIPTION	QTY	CT./MASTER
0136450	HT38	1	1


EXO

UNDERLAYMENT


BETTER PROTECTION BELOW THE SURFACE

At STINGER, we challenge the status quo and refuse to settle for the way it's always been done. We exist to build differently ensuring your peace of mind extends far below the surface. Our EXO synthetic underlayment is engineered to repel water and protect the roof deck from moisture penetration. Combine our synthetic underlayment with our collated cap fasteners to create a moisture barrier that's tested and approved in winds up to 180mph. Because when it comes to protecting your home- it's all about what lies underneath.


EXO products feature a preprinted fastener pattern and overlap lines that help speed up installation and follow applicable building codes.



EXO25



EXO35



EXO50

PRODUCT SPECIFICATIONS

	RECOMMENDED		
	EXO25	EXO35	EXO50
WIDTH	48 in.	48 in.	48 in.
LENGTH	250 ft.	250 ft.	250 ft.
ROLL WEIGHT	20 lbs.	23 lbs.	32 lbs.
SQ. PER ROLL	10 sq.	10 sq.	10 sq.
FABRIC WEIGHT	95 GSM	110 GSM	155 GSM
TENSILE STRENGTH	MD: 100 lbs. CD: 77 lbs.	MD: 95 lbs. CD: 105 lbs.	MD: 170 lbs. CD: 165 lbs.
SCRIM (WEAVE CT.)	9x7	9x7	10x11
WARRANTY	25 years	35 years	50 years
MADE IN	India	India	India
ROLLS/PALLET	56	56	42
SHINGLES	✓	✓	✓
METAL	✓	✓	✓
TILE	✓	✓	✓

EXO BENEFITS


- Features a proprietary slip-resistant coating on the backside with a spunbond non-woven walking surface for improved traction and walkability.
- Withstands UV exposure for up to 6 months.
- Preprinted fastening pattern and overlap lines to speed up installation.



APPLICABLE STANDARDS & CODES:

- Intertek CCRR-0504
- ASTM E108 (Class A)
- ASTM D8257
- Florida Product Approved - FL42439
- TDI Listed
- Miami Dade County Approved






EX025 **25** YEAR WARRANTY

SPUNBOND SYNTHETIC UNDERLAYMENT

- Lightweight- Only 20 lbs. per roll.
- Approved for use under all types of roofing materials.
- 25-year limited warranty.

SKU#	DESCRIPTION	QTY	UNITS/PALLET
0342971	EX025	1	56




EX035 **35** YEAR WARRANTY

SPUNBOND SYNTHETIC UNDERLAYMENT

- Lightweight- Only 23 lbs. per roll.
- Approved for use under all types of roofing materials.
- 35-year limited warranty.

SKU#	DESCRIPTION	QTY	UNITS/PALLET
0342973	EX035	1	56



EXO50 **50** YEAR WARRANTY

RECOMMENDED

SPUNBOND SYNTHETIC UNDERLAYMENT

- Lightweight- Only 32 lbs. per roll.
- Approved for use all types of roofing materials.
- 50-year limited warranty.

SKU#	DESCRIPTION	QTY	UNITS/PALLET
0342975	EXO50	1	42

EXO CO-BRANDING

STINGER® offers a great marketing opportunity for contractors to co-brand with the STINGER brand on our EXO50, EXO35, and EXO25 synthetic underlayment. Co-branding on STINGER underlayment is an effective form of advertising for the contractor in the neighborhood.


Contact your STINGER sales representative for details on the STINGER EXO synthetic underlayment co-branding program.

Logo size for co-branding: 40" x 24"

Scorpion size is 18" x 18"


STINGER name is 23" x 6"

No plate charges apply – a savings of at least \$500!



STANDARD COLOR

- 4 pallet minimum purchase
- Black for EXO25, EXO35, and EXO50
- No custom colors



COLOR OPTION

- 6 pallet minimum purchase
- Custom colors can be any choice
- Up to 3 colors



For those who want best practice and prefer to hand drive cap nails for roofing underlaments, felt, foamboard, and housewrap, **STINGER® HandDrive** offers a variety of economical plastic and steel cap fastening solutions.



PLASTIC CAP NAILS



SKU	COATING	FASTENER LENGTH	QTY	PACKAGE TYPE
0135031	ELECTRO GALVANIZED	3/4 in. (19mm)	3000	Pail
0135041	ELECTRO GALVANIZED	7/8 in. (22mm)	3000	Pail
0135051	ELECTRO GALVANIZED	1 in. (25mm)	3000	Pail
0135071	ELECTRO GALVANIZED	1 ¼ in. (32mm)	2500	Pail
0135091	ELECTRO GALVANIZED	1 ½ in. (38mm)	2000	Pail
0135111	ELECTRO GALVANIZED	1 ¾ in. (44mm)	2000	Pail
0135131	ELECTRO GALVANIZED	2 in. (51mm)	2000	Pail
0135151	ELECTRO GALVANIZED	2 ½ in. (63mm)	2000	Pail
0135033	ELECTRO GALVANIZED	3/4 in. (19mm)	2000	Box
0135093	ELECTRO GALVANIZED	1 ½ in. (38mm)	2000	Box
0135113	ELECTRO GALVANIZED	1 ¾ in. (44mm)	2000	Box
0135133	ELECTRO GALVANIZED	2 in. (51mm)	2000	Box
0135153	ELECTRO GALVANIZED	2 ½ in. (63mm)	2000	Box
0135173	ELECTRO GALVANIZED	3 in. (76mm)	2000	Box



STEEL CAP MASONRY NAILS



SKU#	COATING	LENGTH	PACKAGE TYPE	WEIGHT
0129033	Brite	3/4 in. (19mm)	Pail	25 lbs.
0129053	Brite	1 in. (25mm)	Pail	25 lbs.
0129073	Brite	1 ¼ in. (32mm)	Pail	25 lbs.
0129093	Brite	1 ½ in. (38mm)	Pail	25 lbs.
0129133	Brite	2 in. (51mm)	Pail	25 lbs.
0129153	Brite	2 ½ in. (63mm)	Pail	25 lbs.
0129173	Brite	3 in. (76mm)	Pail	25 lbs.



STEEL CAP NAILS



SKU#	COATING	LENGTH	CT./LB	WEIGHT	PACKAGE TYPE
0127030	ELECTRO GALVANIZED	3/4 in. (19mm)	103	25 lbs.	Pail
0127040	ELECTRO GALVANIZED	7/8 in. (22mm)	102	25 lbs.	Pail
0127050	ELECTRO GALVANIZED	1 in. (25mm)	101	25 lbs.	Pail
0127070	ELECTRO GALVANIZED	1 ¼ in. (32mm)	98	25 lbs.	Pail
0127090	ELECTRO GALVANIZED	1 ½ in. (38mm)	95	25 lbs.	Pail
0127053	ELECTRO GALVANIZED	1 in. (25mm)	101	25 lbs.	Box
0127073	ELECTRO GALVANIZED	1 ¼ in. (32mm)	98	25 lbs.	Box
0127093	ELECTRO GALVANIZED	1 ½ in. (38mm)	95	25 lbs.	Box
0127113	ELECTRO GALVANIZED	1 ¾ in. (44mm)	90	25 lbs.	Box
0127133	ELECTRO GALVANIZED	2 in. (51mm)	86	25 lbs.	Box
0127153	ELECTRO GALVANIZED	2 ½ in. (63mm)	77	25 lbs.	Box
0127173	ELECTRO GALVANIZED	3 in. (76mm)	56	25 lbs.	Box
0127193	ELECTRO GALVANIZED	3 ½ in. (89mm)	56	25 lbs.	Box
0127203	ELECTRO GALVANIZED	4 in. (102mm)	32	25 lbs.	Box
0127223	ELECTRO GALVANIZED	5 in. (127mm)	25	25 lbs.	Box
0127263	ELECTRO GALVANIZED	8 in. (203mm)	13	25 lbs.	Box
0127032	ELECTRO GALVANIZED	3/4 in. (19mm)	103	50 lbs.	Box
0127042	ELECTRO GALVANIZED	7/8 in. (22mm)	102	50 lbs.	Box

HAND DRIVE ROOFING NAILS



HAND DRIVE ROOFING NAILS

- Smooth Shank
- Available Electro Galvanized or Hot Dipped Galvanized
- Meets ASTM F1667
- HDG Meets ASTM A153




SKU#	COATING	LENGTH	QTY	WEIGHT
0132032	ELECTRO GALVANIZED	3/4 in. (19mm)	323	50 lbs.
0132042	ELECTRO GALVANIZED	7/8 in. (22mm)	288	50 lbs.
0132052	ELECTRO GALVANIZED	1 in. (25mm)	261	50 lbs.
0132072	ELECTRO GALVANIZED	1 ¼ in. (32mm)	209	50 lbs.
0132092	ELECTRO GALVANIZED	1 ½ in. (38mm)	194	50 lbs.
0132112	ELECTRO GALVANIZED	1 ¾ in. (44mm)	155	50 lbs.
0132132	ELECTRO GALVANIZED	2 in. (51mm)	136	50 lbs.
0132152	ELECTRO GALVANIZED	2 ½ in. (63mm)	109	50 lbs.
0132172	ELECTRO GALVANIZED	3 in. (76mm)	93	50 lbs.
0069032	HOT DIP GALVANIZED	3/4 in. (19mm)	282	50 lbs.
0069042	HOT DIP GALVANIZED	7/8 in. (22mm)	261	50 lbs.
0069052	HOT DIP GALVANIZED	1 in. (25mm)	254	50 lbs.
0069072	HOT DIP GALVANIZED	1 ¼ in. (32mm)	196	50 lbs.
0069092	HOT DIP GALVANIZED	1 ½ in. (38mm)	163	50 lbs.
0069112	HOT DIP GALVANIZED	1 ¾ in. (44mm)	148	50 lbs.
0069132	HOT DIP GALVANIZED	2 in. (51mm)	120	50 lbs.
0069152	HOT DIP GALVANIZED	2 ½ in. (63mm)	106	50 lbs.
0069172	HOT DIP GALVANIZED	3 in. (76mm)	90	50 lbs.



NEO WASHER ROOFING NAILS



SKU#	COATING	SHANK/HEAD TYPE	LENGTH	CT./LB	WEIGHT
0168112	ELECTRO GALVANIZED	Ring Shank/Round Head	1 ¾ in.	123	50 lbs.
0168132	ELECTRO GALVANIZED	Ring Shank/Round Head	2 in.	90	50 lbs.
0168152	ELECTRO GALVANIZED	Ring Shank/Round Head	2 ½ in.	91	50 lbs.
0099092	HOT DIP GALVANIZED	Ring Shank/Round Head	1 ½ in.	129	50 lbs.
0099112	HOT DIP GALVANIZED	Ring Shank/Round Head	1 ¾ in.	117	50 lbs.
0099132	HOT DIP GALVANIZED	Ring Shank/Round Head	2 in.	91	50 lbs.




COIL ROOFING NAILS

- Smooth or Ring Shank
- Available Electro Galvanized or Hot Dipped Galvanized
- Wire Coil
- Meets ASTM F1667
- HDG Meets ASTM A153



SKU#	COATING	SHANK/HEAD TYPE	LENGTH	QTY
0611030	ELECTRO GALVANIZED	Smooth Shank/Round Head	3/4 x .120 (19mm x 3mm)	7200
0611040	ELECTRO GALVANIZED	Smooth Shank/Round Head	7/8 in. x .120 (22mm x 3mm)	7200
0611050	ELECTRO GALVANIZED	Smooth Shank/Round Head	1 in. x .120 (25mm x 3mm)	7200
0611070	ELECTRO GALVANIZED	Smooth Shank/Round Head	1 ¼ in. x .120 (32mm x 3mm)	7200
0611090	ELECTRO GALVANIZED	Smooth Shank/Round Head	1 ½ in. x .120 (38mm x 3mm)	7200
0611110	ELECTRO GALVANIZED	Smooth Shank/Round Head	1 ¾ in. x .120 (44mm x 3mm)	7200
0611072	ELECTRO GALVANIZED	Ring Shank/Round Head	1 ½ in. x .120 (38mm x 3mm)	7200
0611073	HOT DIP GALVANIZED	Smooth Shank/Round Head	1 ¼ in. x .120 (32mm x 3mm)	7200
0611075	HOT DIP GALVANIZED	Ring Shank/Round Head	1 ¼ in. x .120 (32mm x 3mm)	7200
0611093	HOT DIP GALVANIZED	Smooth Shank/Round Head	1 ½ x .120 (38mm x 3mm)	7200
0611095	HOT DIP GALVANIZED	Ring Shank/Round Head	1 ½ x .120 (38mm x 3mm)	7200
0611115	HOT DIP GALVANIZED	Ring Shank/Round Head	1 ¾ x .120 (44mm x 3mm)	7200



STAINLESS STEEL COIL ROOFING NAILS

- Ring Shank
- Available 304 or 316 Stainless Steel
- Meets ASTM F1667



SKU#	COATING	SHANK/HEAD TYPE	LENGTH	QTY
06110745	316 STAINLESS STEEL	Ring Shank/Round Head	1 ¼ in. x .120 (32mm x 3mm)	3600
06110945	316 STAINLESS STEEL	Ring Shank/Round Head	1 ½ in. x .120 (38mm x 3mm)	3600
06111145	316 STAINLESS STEEL	Ring Shank/Round Head	1 ¾ in. x .120 (44mm x 3mm)	3600
0611074	304 STAINLESS STEEL	Ring Shank/Round Head	1 ¼ in. x .120 (32mm x 3mm)	3600
0611094	304 STAINLESS STEEL	Ring Shank/Round Head	1 ½ in. x .120 (38mm x 3mm)	3600
0611114	304 STAINLESS STEEL	Ring Shank/Round Head	1 ¾ in. x .120 (44mm x 3mm)	3600



FINE WIRE STAPLES



SKU#	DESCRIPTION	GAUGE	LENGTH	CROWN	QTY
0940042	A-11	21ga	3/8 in. (9.5mm)	3/8 in. (9.5mm)	5000
0940041	Bostitch STCR5019	21ga	3/8 in. (9.5mm)	7/16 in. (11mm)	5000
0940035	A-11 - T50	21ga	5/16 in. (8mm)	3/8 in. (9.5mm)	5000
0950038	DuoFast 5010C	21ga	5/16 in. (8mm)	1/2 in. (12.5mm)	5000



MINI SNOWGUARD™

The STINGER® Mini Snowguard offers a silicone-free installation, protecting your metal roof from ice and snow, and is easy to install.



SKU#	DESCRIPTION	QTY	UNITS/PALLET
0496600	Mini Snowguard	50	96



**SELF-SEALING
NO SILICONE
REQUIRED**

EACH BOX INCLUDES

- 50 Mini SnowGuards
- 50 Perfect Seal Gaskets
- 150 All-Weather Coated Screws

CLEAR

Also available in 12 colors



MERCHANDISING

Show everything you need to install the building envelope in one convenient space. The STINGER merchandising allows you to display the mix you want, with space for STINGER underlayments, cap tools, and fasteners. It's a great way to build awareness, increase package sales, and improve connect rates.

Wire Display Rack with STINGER Brand Graphics – Item # 0001130



Underlayment Holder – Item # 0001131

Display Tool Holder – Item # 0136997

4 ft Header Board – Item # 0136408



3 ft Header Board – Item # 0136407




Aisle Violators – Item # MK1024



CN100B Tool Card – Item # MK1029



CS150B Tool Card – Item # MK1030





MICHIGAN

2964 Clydon Ave SW
Grand Rapids MI 49519

NEW YORK

5985 Tarbell Rd
Syracuse NY 13206

GEORGIA

555 Riverside Pkwy, Ste. 100
Austell GA 30168

TEXAS

3701 Yale St
Houston, TX 77018

CALIFORNIA

3765 Channel Drive
West Sacramento, CA 95691

**FOR MORE INFORMATION, PLEASE VISIT WWW.STINGERWORLD.COM
OR CALL 800-968-6245 TO SPEAK TO A STINGER PRODUCT EXPERT.**