

PRO FIT[®]

NAILS | SCREWS | COLLATED



PRODUCT GUIDE

“We continually
strive to create
unique experiences
to ensure that your
story is better...
and for us, it’s a
privilege to be a
part of it.”

National Nail Employee-Owners



BRAND EXPERIENCE

WHY PRO-FIT	4
SOLUTIONS CENTER.....	5

NAILS

TERMINOLOGY	7
FRAMING	9
FINISH.....	11
ROOFING.....	12
SPECIALTY	14
MASONRY	18
STAPLES	20
DECKING	21
SIDING	22
CAPS.....	24

SCREWS

TERMINOLOGY	27
DECKING	29
DRYWALL.....	30
MULTI-PURPOSE	31
SPECIALTY	32

COLLATED

PRODUCT CATEGORIES.....	35
TERMINOLOGY	36
FRAMING	40
METAL CONNECTOR.....	48
FINISH.....	49
STAPLES	54
FLOORING FASTENERS.....	59
STINGER ROOFING NAILS.....	60
STINGER FELT STAPLES.....	61

MERCHANDISING

DRESS FOR SUCCESS	62
-------------------------	----

NATIONAL NAIL

OUR BRANDS.....	63
-----------------	----

WHY PRO-FIT?



WHAT IS PRO-FIT®?

PRO-FIT® is a brand, a product and a partner that is the best fit for your business or project. You can expect...

Breadth of Line - Collated, Packaged and Bulk fastening solutions to fit tool and project requirements, and packaged to maximize space utilization - more facings per shelf.

Shopability - On-the-shelf and in-the-aisle Dress for Success merchandising and color-coding that improves way-finding, grows connect rates, and builds brand awareness.

Inventory Productivity - Smaller master counts for lower inventory investment and faster turns; mix relevance for your market; key SKU performance.

Service

- 98%+ fill rates.
- We evaluate and share market pricing movements with you to assist you in achieving your pricing strategy.
- Bi-annual line reviews to ensure the products, in the quantities you need, are always available for your customer base.

MDM Knowledge - Our Market Development Managers are the best the industry has to offer. You can count on them knowing you, your market and your customers to advise you on what you should consider carrying. And remember, they are National Nail Employee Owners.



SOLUTIONS CENTER

The PRO-FIT® Solutions Center offers the right fastener for virtually any residential project.


If you are looking for a vast selection of screws, PRO-FIT® has it. We have packaged screws for decking, drywall, multi-purpose, and specialty projects.

Need collated fasteners? We've got them too. Our PRO-FIT® collated nails and staples cover a wide assortment of applications including framing, roofing, finishing, flooring, siding, and metal connectors.

Make PRO-FIT® your one-stop solution center for nails and screws.

NAILS

TERMINOLOGY



HEAD

Round metal piece formed at the top of the nail.

SHANK

The length of the nail between the bottom of head and the point. May be smooth or have rings, flutes or spirals for greater holding power.

POINT

Sharpened end opposite the head for greater ease in driving.

GAUGE

References how thick a nail is, with lower number indicating greater thickness.

LENGTH

Distance from the bottom of the head to the point of a nail.

RIGIDITY

The bending and shear resistance of a nail.

COATINGS

BRITE

No coating to protect the nail from corrosion if exposed to high humidity or water, not recommended for exterior use or treated lumber, and only for interior applications where no corrosion protection is needed, i.e. interior trim, framing, and finish.

HEAT-TREATED

Heated to extreme temperatures and then cooled quickly; this produces very hard steel that can be used with hardened materials such as concrete and masonry. This is still vulnerable to corrosion, and should be used in interior applications.

PHOSPHATE COATED

Reduces friction during installation and increases corrosion protection. Produced by dipping in a solution of zinc or manganese acid phosphate; it has a dark grey finish that provides a surface that binds well with paint and joint compounds with minimal corrosion resistance. Most commonly found on drywall fasteners, not recommended for exterior use or treated lumber.

VINYL COATED

A slick vinyl coating helps ease driving of the fastener—when the fastener is driven, it's briefly heated by the friction and quickly cools down, hardening the vinyl coating; offers some extra holding power but does not protect the fastener from corrosion; recommended for interior applications where no corrosion protection is needed.

ELECTRO GALVANIZED

Zinc plating process in which a layer of zinc is bonded to steel to protect against corrosion; smooth, shiny finish, which is generally used in areas where minimal corrosion protection is needed.

GALVANIZED

Coated with a protective layer of zinc for corrosion resistance and weather exposure.

HOT DIPPED GALVANIZED

Most common method of galvanization where iron or steel are coated with a thin zinc layer, by passing the metal through a molten bath of zinc that results in very high corrosion resistance suitable for some acidic and treated lumber; will corrode over time as the coating wears, but generally good for the lifetime of the application; typically used in outdoor applications—meets ASTM A153.

STAINLESS STEEL

Used where both the properties of steel and corrosion resistance are required; although stainless steel does not readily corrode, it isn't fully stain proof—certain conditions can and do affect it such as low oxygen, high salinity, or poor circulation environments; 304 series stainless makes up 70% of all stainless used, and is the most corrosion resistant, ductile, and weldable type of stainless steel; these alloys are subject to crevice corrosion and pitting corrosion.

304 / 305 grade alloys are the most versatile and widely used of stainless steels—contains 18% chromium and 8% nickel; recommended for exterior applications where a higher level of corrosion resistance is desired.

316 (also called marine grade) has superior corrosion resistance versus other chromium-nickel steels when exposed to chemical corrodents such as sea water; slightly more nickel and the addition of 2% molybdenum is what makes 316 considerably more resistant to corrosion than the 304 family; recommended for marine environments.

TERMINOLOGY

SHANKS



SMOOTH

Most common and often used for framing and general construction applications. They offer enough holding power for most everyday use.



DRIVE SCREW

Has helical shanks resembling a screw. Drive screw nails are mostly used with hardwood, provide greater holding power, and can sustain greater impact withdrawal work values than other nail forms do.



RING

Small directional rings on the shank prevent the nail from working back out once driven in. They also provide superior holding power over smooth shank nails because the wood fills in the crevasse of the rings and provides friction to help prevent the nail from backing out over time.



FLUTED

Vertical thread to minimize cracking when driving into cinder block, mortar joints or other soft masonry applications.

STEEL RIGIDITY

REGULAR STEEL STOCK

Low to medium carbon content - standard type of wire rod used in fastener manufacturing.

STIFF-STOCK

Higher carbon content steel - harder and stiffer than regular stock to prevent bending when driven into hardwoods.

TEMPERED HARDENED STEEL

High carbon content steel is used to make the nail and then the nail is heat treated which provides even better resistance to bending.

COMMON NAIL SIZES


What Does a Penny Mean?

The "d" when referring to nail sizes stands for penny. When the Romans occupied what is now England, they had a coin called the denarius, which was also the name for an English penny, so the "d" is an abbreviation for denarius.

The "d" indicates the nail's length (see table on the right). The larger the number, the longer the nail. For example, a 3d is smaller than a 10d.

When nails were hand-forged, penny sizes referred to the price for 100 nails. The longer the nail, the higher the cost.

The system was used in England into the 15th century, but is now obsolete. However, the penny size is still included along with the length on retail boxes of nails today.



Penny	Size (inches)	Length (mm)
2d	1	25
3d	1-1/4	32
4d	1-1/2	38
5d	1-3/4	44
6d	2	51
7d	2-1/4	57
8d	2-1/2	65
9d	2-3/4	70
10d	3	76
12d	3-1/4	83
16d	3-1/2	89
20d	4	102
30d	4-1/2	115
40d	5	127
50d	5-1/2	140
60d	6	152

GAUGE CHART

Number of Gauge	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
Inch	.0365	.2830	.2625	.2437	.2253	.2070	.1920	.1770	.1620	.1483	.1350	.1205	.1055	.0915	.0800	.0720	.0625	.0540	.0475	.0410	.0328
MM	7.785	7.188	6.667	6.189	5.722	5.257	4.876	4.495	4.114	3.766	3.429	3.060	2.679	2.324	2.032	1.828	1.587	1.371	1.206	1.041	.883

FRAMING

Framing nails are used for general construction where a thinner shank for driving ease is desired. PRO-FIT® framing nails come in three basic styles – sinker, common, and box. They are used in building walls, roofs, applying sheathing, sub-flooring, and just about anywhere construction lumber is used.

SINKER



Checked, flat countersunk head to prevent hammer slippage and provides a flush finish.

For construction, carpentry, and framing.

COATED SINKER

PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	30# PAIL	50# BULK
4D	1-3/8"	Smooth	Vinyl Coated	469	0065098	-	-	-	0065092
6D	1-7/8"	Smooth	Vinyl Coated	266	0065138	0065135	-	-	0065132
8D	2-3/8"	Smooth	Vinyl Coated	141	0065158	0065155	0065159	0065156	0065152
10D	2-7/8"	Smooth	Vinyl Coated	105	0065178	0065175	-	-	0065172
12D	3-1/8"	Smooth	Vinyl Coated	76	0065188	0065185	0065189	0065186	0065182
16D	3-1/4"	Smooth	Vinyl Coated	62	0065198	0065195	0065199	0065196	0065192
20D	3-3/4"	Smooth	Vinyl Coated	41	0065208	0065205	0065209	-	0065202

BOX



Flat head for solid holding power.

For construction, carpentry, framing and box making.

BOX NAILS

PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
4D	1-1/2"	Smooth	Hot Dipped Galvanized	374	0057098	-	0057092
5D	1-3/4"	Smooth	Hot Dipped Galvanized	294	0057118	0057115	-
6D	2"	Smooth	Hot Dipped Galvanized	214	0057138	0057135	0057132
7D	2-1/4"	Smooth	Hot Dipped Galvanized	184	0057148	-	0057142
8D	2-1/2"	Smooth	Hot Dipped Galvanized	119	0057158	0057155	0057152
10D	3"	Smooth	Hot Dipped Galvanized	85	0057178	0057175	0057172
16D	3-1/2"	Smooth	Hot Dipped Galvanized	67	0057198	0057195	0057192

*note not all products are stored or sold in all locations

FRAMING

COMMON



Flat head, typically 3-4 times the diameter of the shank for solid holding power.

For construction, carpentry, and framing.

SMOOTH COMMON NAILS



PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	30# PAIL	50# BULK
3D	1-1/4"	Smooth	Brite	478	-	-	-	-	0053072
4D	1-1/2"	Smooth		268	0053098	-	-	-	0053092
6D	2"	Smooth		161	0053138	0053135	0053139	-	0053132
8D	2-1/2"	Smooth		100	0053158	0053155	0053159	-	0053152
10D	3"	Smooth		65	0053178	0053175	0053179	-	0053172
12D	3-1/4"	Smooth		59	0053188	0053185	0053189	-	0053182
16D	3-1/2"	Smooth		46	0053198	0053195	0053199	-	0053192
20D	4"	Smooth		29	0053208	0053205	0053209	-	0053202
30D	4-1/2"	Smooth		23	-	-	-	-	0053212
40D	5"	Smooth		16	-	0053225	-	0053226	0053222
60D	6"	Smooth		10	-	0053245	-	0053246	0053242
4D	1-1/2"	Smooth		Hot Dipped Galvanized	348	0054098	-	-	-
6D	2"	Smooth	Hot Dipped Galvanized	166	0054138	0054135	-	-	0054132
8D	2-1/2"	Smooth	Hot Dipped Galvanized	93	0054158	0054155	0054159	-	0054152
10D	3"	Smooth	Hot Dipped Galvanized	63	0054178	0054175	0054179	-	0054172
12D	3-1/4"	Smooth	Hot Dipped Galvanized	57	0054188	0054185	0054189	-	0054182
16D	3-1/2"	Smooth	Hot Dipped Galvanized	45	0054198	0054195	0054199	-	0054192
20D	4"	Smooth	Hot Dipped Galvanized	28	0054208	0054205	0054209	-	0054202
30D	4-1/2"	Smooth	Hot Dipped Galvanized	22	-	-	-	-	0054212
40D	5"	Smooth	Hot Dipped Galvanized	17	-	0054225	-	-	0054222
60D	6"	Smooth	Hot Dipped Galvanized	10	-	-	0054249	-	0054242

SPIRAL COMMON NAILS



PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	50# BULK
6D	2"	Spiral	Brite	225	0003132
16D	3-1/2"	Spiral		45	0003192
20D	4"	Spiral		28	0003202

FINISH

Finish nails are used for trim and fine finishing work where a smaller, less visible head is desired. They are used to set door and window frames, apply trim, and in other applications where appearance is important.

FINISH



Finish nails are used for trim and fine finishing work. They can be easily concealed by countersinking the nail and filling the resulting void with a filler (putty, spackle, caulk, etc.)

FINISH NAILS



PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
3D	1-1/4"	Smooth	Brite	693	0058078	-	0058072
4D	1-1/2"	Smooth	Brite	445	0058098	-	0058092
6D	2"	Smooth	Brite	259	0058138	0058135	0058132
8D	2-1/2"	Smooth	Brite	181	0058158	0058155	0058152
10D	3"	Smooth	Brite	122	0058178	-	0058172
16D	3-1/2"	Smooth	Brite	73	0058198	-	0058192
4D	1-1/2"	Smooth	Electro Galvanized	549	0162098	-	0162092
6D	2"	Smooth	Electro Galvanized	267	0162138	-	0162132
8D	2-1/2"	Smooth	Electro Galvanized	166	0162158	-	0162152
4D	1-1/2"	Smooth	Hot Dipped Galvanized	521	0059098	-	0059092
6D	2"	Smooth	Hot Dipped Galvanized	267	0059138	-	0059132
8D	2-1/2"	Smooth	Hot Dipped Galvanized	175	0059158	-	0059152
10D	3"	Smooth	Hot Dipped Galvanized	104	0059178	-	0059172
16D	3-1/2"	Smooth	Hot Dipped Galvanized	84	0059198	-	0059192

CASING



Casing nails are used for flooring, trim, window frames, decks, and other work where the fastener will remain visibly exposed to the weather.

CASING NAILS



PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	50# BULK
16D	3-1/2"	Smooth	Hot Dipped Galvanized	71	0063198	0063192

*note not all products are stored or sold in all locations

ROOFING

Roofing nails are used for applying roofing asphalt shingles, insulation board, vinyl siding, windows, and felt to wood substrates. The large head and heavier shank gauge provide greater holding power. Roofing nails come in a variety of styles to fit multiple job requirements.



Bulk roofing nails are provided by our National Nail brand STINGER®



ROOFING

Roofing nails are used for applying roofing asphalt shingles, insulation board, vinyl siding, windows, and felt to wood substrates.

ROOFING NAILS



LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	30# PAIL	50# BULK
3/4"	Smooth	Electro Galvanized	323	0132038	-	-	-	0132032
7/8"	Smooth	Electro Galvanized	288	0132048	0132045	-	-	0132042
1"	Smooth	Electro Galvanized	261	0132058	0132055	0132059	-	0132052
1-1/4"	Smooth	Electro Galvanized	209	0132078	0132075	0132079	0132076	0132072
1-1/2"	Smooth	Electro Galvanized	194	0132098	0132095	0132099	0132096	0132092
1-3/4"	Smooth	Electro Galvanized	155	0132118	0132115	0132119	0132116	0132112
2"	Smooth	Electro Galvanized	136	0132138	0132135	0132139	0132136	0132132
2-1/2"	Smooth	Electro Galvanized	109	0132158	0132155	0132159	0132156	0132152
3"	Smooth	Electro Galvanized	93	0132178	0132175	0132179	0132176	0132172
3/4"	Smooth	Hot Dipped Galvanized	282	0069038	-	-	-	0069032
7/8"	Smooth	Hot Dipped Galvanized	261	-	-	-	-	0069042
1"	Smooth	Hot Dipped Galvanized	254	0069058	-	-	-	0069052
1-1/4"	Smooth	Hot Dipped Galvanized	196	0069078	0069075	0069079	-	0069072
1-1/2"	Smooth	Hot Dipped Galvanized	163	0069098	0069095	0069099	-	0069092
1-3/4"	Smooth	Hot Dipped Galvanized	148	0069118	0069115	0069119	-	0069112
2"	Smooth	Hot Dipped Galvanized	120	0069138	0069135	0069139	-	0069132
2-1/2"	Smooth	Hot Dipped Galvanized	106	0069158	0069155	-	-	0069152
3"	Smooth	Hot Dipped Galvanized	90	-	0069175	-	-	0069172

STINGER® HandDrive Roofing Nails

RING SHANK ROOFING NAILS



LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
2"	Ring	Hot Dipped Galvanized	120	-	-	0172132
2-1/2"	Ring	Hot Dipped Galvanized	106	-	-	0172152
3"	Ring	Hot Dipped Galvanized	90	-	-	0172192
1-1/4"	Ring	316 Stainless Steel	166	0260078S	-	0260072S
1-1/2"	Ring	316 Stainless Steel	139	0260098S	-	0260092S
1-3/4"	Ring	316 Stainless Steel	126	0260118S	0260115S	0260112S
2"	Ring	316 Stainless Steel	114	-	0260135S	-

ROOFING



WOODEN SHINGLE

Wooden shingle nails are for applying wood shingles; nails should be long enough to penetrate sheathing at least 3/4".

WOODEN SHINGLE ROOFING NAILS

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
1-1/4"	Smooth	Hot Dipped Galvanized	493	-	0070075	0070072
1-1/2"	Smooth	Hot Dipped Galvanized	271	0070098	0070095	0070092



COPPER

Copper nails are for copper flashing, tile and slate roofing, gutters and downspouts, or other decorative copper roofing elements.

COPPER ROOFING NAILS

LENGTH	SHANK	APX. CT./LB.	1# BOX
1-1/4"	Smooth	148	0250078
1-1/2"	Smooth	123	0250098



NEO ROOF

Neo roof nails are for steel roofing, corrugated aluminum, fiberglass, and plastic panel roofing and siding.

NEO ROOFING NAILS

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
1-1/2"	Ring	Electro Galvanized	129	-	-	0168092
1-3/4"	Ring	Electro Galvanized	123	0168118	0168115	0168112
2"	Ring	Electro Galvanized	90	-	-	0168132
2-1/2"	Ring	Electro Galvanized	91	-	-	0168152
1-1/2"	Ring	Hot Dipped Galvanized	129	-	-	0099092
1-3/4"	Ring	Hot Dipped Galvanized	117	-	-	0099112
2"	Ring	Hot Dipped Galvanized	91	-	-	0099132

SPECIALTY

Specialty nails are a collection of fastener solutions that fulfill unique requirements for specific applications. The PRO-FIT® Specialty category includes drywall, duplex, flooring, joist hanger, pole barn, spikes, trim and underlayment nails.



SPIKES

For log home construction and for securing railroad ties, landscaping timbers, and thick members.

SPIRAL COMMON SPIKES



LENGTH	SHANK	COATING	APX. CT./LB.	50# BULK
6"	Spiral	Brite	13	0003242

COMMON SPIKES



LENGTH	SHANK	COATING	APX. CT./LB.	5# BOX	50# BULK
8"	Smooth	Brite	4	0053265	0053262
10"	Smooth	Brite	3	0053275	0053272
12"	Smooth	Brite	3	0053285	0053282
8"	Smooth	Hot Dipped Galvanized	4	-	0054262
10"	Smooth	Hot Dipped Galvanized	3	-	0054272
12"	Smooth	Hot Dipped Galvanized	3	-	0054282

SPIRAL LANDSCAPE SPIKES



LENGTH	SHANK	COATING	APX. CT./LB.	5# BOX	25# PAIL	50# BULK
6"	Spiral	Hot Dipped Galvanized	13	0033245	0033249	0033242
8"	Spiral	Hot Dipped Galvanized	7	-	-	0033262
10"	Spiral	Hot Dipped Galvanized	4	-	-	0033272
12"	Spiral	Hot Dipped Galvanized	4	-	-	0033282

SPECIALTY



DRYWALL

For hanging drywall to wood studs, fastening plasterboard to a supporting system, and nailing wood lath to wall studs as a substructure for plaster walls with drywall.

DRYWALL NAILS - FLAT HEAD



LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
1-3/8"	Smooth	Vinyl Coated	289	0166088	0166085	0166082

DRYWALL NAILS - CUPPED HEAD



LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	50# BULK
1-3/8"	Smooth	Phosphate Coated	335	3075088T	3075085T	3075089T	3075082T

RING SHANK DRYWALL NAILS



LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
1-1/4"	Ring	Brite	339	0061078	-	0061072
1-3/8"	Ring	Brite	320	0061088	0061085	0061082
1-5/8"	Ring	Brite	260	0061108	-	0061102
2"	Ring	Brite	224	-	-	0061132
1-3/8"	Ring Blued	Heat Treated	318	0083088	0083085	0083082
1-5/8"	Ring Blued	Heat Treated	264	0083108	-	0083102

SPECIALTY

POLE BARN



Used to prevent rocking and twisting for wooden structures where high holding power is necessary; load bearing.

RING SHANK HEAT TREATED POLE BARN NAILS



PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	5# BOX	25# PAIL	50# BULK
60D	6"	Ring	Brite	23	0090245	-	0090242
16D	3-1/2"	Ring	Galvanized	38	0092195	0092199	0092192
20D	4"	Ring	Galvanized	35	0092205	0092209	0092202
40D	5"	Ring	Galvanized	27	0092225	-	0092222
60D	6"	Ring	Galvanized	23	0092245	-	0092242

RING SHANK (SS) STIFF STOCK POLE BARN NAILS



PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	25# PAIL	50# BULK
20D	4"	Ring	Brite	34	-	0089202
40D	5"	Ring	Brite	27	-	0089222
60D	6"	Ring	Brite	23	-	0089242
20D	4"	Ring	Galvanized	35	0091209	0091202
40D	5"	Ring	Galvanized	27	-	0091222

DUPLEX



For temporary work, such as concrete forms or wood scaffolding, where nail removal is required (sometimes called a scaffold nail).

DUPLEX NAILS

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	30# PAIL	50# BULK
1-3/4"	Smooth	Brite	169	0077138	-	-	-	0077132
2-1/4"	Smooth	Brite	85	0077158	0077155	0077159	-	0077152
3"	Smooth	Brite	46	0077198	0077195	0077199	0077196	0077192
3-1/2"	Smooth	Brite	30	-	-	-	-	0077202

CUT FLOORING



For securing hardwood floor to subfloor. Wide side of the nail should always be used parallel to the grain of wood.

CUT FLOORING NAILS

PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	50# BULK
8D	2-1/2"	Tapered	Brite	41	0095158	0095152

SPECIALTY



TRIM

For light fastening of exterior siding trim



TRIM NAILS

LENGTH	COLOR	COATING	APX. CT./LB.	1/4# BOX	1 LB. BOX	50# BULK
1-1/4"	Brown	Aluminum	1068	0240078	-	0240072
1-1/4"	White	Aluminum	1068	0224078	-	0224072
1-1/4"	Black	304 Stainless Steel	619	-	0259078	0259072
1-1/4"	White	304 Stainless Steel	619	0251079	0251078	0251072
1-1/4"	Brown	304 Stainless Steel	619	0252079	0252078	0252072
1-1/4"	Clay	304 Stainless Steel	619	0256079	0256078	0256072



JOIST HANGER

For installing steel connectors (the metal fixtures that vertically support the joists of a home or building).

JOIST HANGER NAILS

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# BOX	25# PAIL	50# BULK
1-1/4"	Smooth	Hot Dipped Galvanized	206	0096078	0096075	-	-	0096072
1-1/2"	Smooth	Hot Dipped Galvanized	120	0096098	0096095	-	0096099	0096092
3"	Smooth	Hot Dipped Galvanized	63	-	0096175	-	-	-
1-1/2"	Smooth	316 Stainless Steel	120	-	3096095S	3096093S	-	3096092S



RING SHANK UNDERLAYMENT

For laying plywood or composition underlayment.

RING SHANK UNDERLAYMENT NAILS

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	50# BULK
1-1/4"	Ring	Brite	332	0084078	0084072
1-1/2"	Ring	Brite	310	0084098	0084092



FLOORING

For laying hardwood flooring or for securing wood flooring to subfloor, or furring strips to brick, block or concrete.

FLOORING NAILS

PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX
7D	2-1/4"	Spiral	Brite	160	0016148

MASONRY

Masonry nails are hardened nails designed to be driven into concrete or the mortar used to hold together bricks or cement blocks. This rigidity also lends masonry nails to a wide variety of installations ranging from attaching plywood subfloor to securing carpet tack strips.



FLUTED MASONRY

For fastening lumber to any type of concrete or masonry work.

FLUTED MASONRY

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
1"	Fluted	Brite	189	0029058	0029055	0029052
1-1/4"	Fluted	Brite	173	0029078	-	0029072
1-1/2"	Fluted	Brite	131	0029098	0029095	0029092
2"	Fluted	Brite	96	0029138	-	0029132
2-1/2"	Fluted	Brite	73	0029158	0029155	0029152
3"	Fluted	Brite	63	0029178	0029175	0029172

MASONRY

CUT MASONRY



Cut masonry nails are used for attaching wood to cinder block, mortar joints, brick walls and fresh concrete.

CUT MASONRY

PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	5# PAIL	50# BULK
4D	1-1/2"	Tapered	Brite	77	0093098	-	-	0093092
6D	2"	Tapered	Brite	47	-	-	-	0093132
7D	2-1/4"	Tapered	Brite	44	0093148	0093145	-	-
8D	2-1/2"	Tapered	Brite	41	0093158	0093155	0093159	0093152
10D	3"	Tapered	Brite	29	0093178	0093175	-	0093172
8D	2-1/2"	Tapered	Hot Dipped Galvanized	40	3078158	3078155	-	3078152
10D	3"	Tapered	Hot Dipped Galvanized	28	3078178	3078175	-	3078172

ANCHOR BOLTS



Rod threaded on one end and bent/curved on the other end so it can be fixed in concrete or masonry and hold a structure in place; also called an anchor rod.

Packaged with nuts and washers.

Anchor bolts are used for anchoring structural supports to concrete foundations.

ANCHOR BOLTS

SIZE	COATING	25 CT.	50CT.
1/2" x 6"	Brite	-	AB06
1/2" x 8"	Brite	-	AB08
1/2" x 10"	Brite	-	AB10
1/2" x 12"	Brite	-	AB12
1/2" x 6"	Hot Dipped Galvanized	-	AG06
1/2" x 8"	Hot Dipped Galvanized	-	AG08
1/2" x 10"	Hot Dipped Galvanized	-	AG10
1/2" x 12"	Hot Dipped Galvanized	-	AG12
5/8" x 10"	Hot Dipped Galvanized	AG5810	-
5/8" x 12"	Hot Dipped Galvanized	AG5812	-

STAPLES

Staples are a type of a two-pronged fastener used for joining or binding materials together. The PRO-FIT® Staple category includes fence and poultry net staples that may be used for installing fencing, electrical, wire poultry netting, or other heavy-duty uses.



FENCE

Steel wire.

For attaching woven wire fence, welded fence, or barbed wire to wooden fence posts.

FENCE STAPLES

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
1-1/4"	Steel Wire	Electro Galvanized	78	0079078	-	0079072
1-1/2"	Steel Wire	Electro Galvanized	71	0079098	0079095	0079092
1-3/4"	Steel Wire	Electro Galvanized	62	0079118	0079115	0079112
1"	Steel Wire	Hot Dipped Galvanized	107	0050058	-	0050052
1-1/4"	Steel Wire	Hot Dipped Galvanized	81	0050078	0050075	0050072
1-1/2"	Steel Wire	Hot Dipped Galvanized	71	0050098	0050095	0050092
1-3/4"	Steel Wire	Hot Dipped Galvanized	61	0050118	-	0050112



POULTRY NET

For attaching wire poultry netting to wooden fence posts.

POULTRY NET STAPLES

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
3/4"	Steel Wire	Electro Galvanized	413	0080038	-	0080032
3/4"	Steel Wire	Hot Dipped Galvanized	413	0051038	0051035	0051032

DECKING

Decking nails are used for patio and deck construction and a wide variety of exterior applications. The PRO-FIT® Decking category includes both spiral and ring shank nails for ease of penetration and optimum holding power.



SPIRAL DECK

For patio and deck construction and wide variety of exterior applications.

SPIRAL DECK

PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	50# BULK
6D	2"	Spiral	Hot Dipped Galvanized	146	-	-	-	0010132
8D	2-1/2"	Spiral	Hot Dipped Galvanized	130	0010158	0010155	0010159	0010152
10D	3"	Spiral	Hot Dipped Galvanized	94	0010178	0010175	-	0010172
16D	3-1/2"	Spiral	Hot Dipped Galvanized	59	0010198	0010195	0010199	0010192
20D	4"	Spiral	Hot Dipped Galvanized	43	-	-	-	0010202



RING SHANK DECK

For patio and deck construction and wide variety of exterior applications.

RING SHANK DECK

PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	50# BULK
16D	3-1/2"	Ring	Hot Dipped Galvanized	53	0165198	0165195	-	0165192
8D	2-1/2"	Ring	316 Stainless Steel	115	0246158S	0246155S	0246159S	0246152S
10D	3"	Ring	316 Stainless Steel	79	0246178S	0246175S	0246179S	00246172S
12D	3-1/4"	Ring	316 Stainless Steel	60	0246188S	0246185S	-	0246182S
16D	3-1/2"	Ring	316 Stainless Steel	56	-	0246195S	0246199S	0246192S

SIDING

Siding nails are used for applying residential wood lap siding to plywood or fiberboard sheathing. The PRO-FIT® Siding category includes aluminum and cedar shake fasteners that may be used for installation.

CEDAR SHAKE



Small, checked brad head for concealment and reduced hammer slippage.

Cedar shake nails are used for cedar shake siding applications.

RING SHANK CEDAR SHAKE SIDING NAILS

LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
1-3/4"	Ring	Hot Dipped Galvanized	337	0088118	0088115	0088112
2"	Ring	Hot Dipped Galvanized	354	0088138	-	-

ALUMINUM



Aluminum nails are for fastening aluminum siding or screening.

ALUMINUM SIDING NAILS

LENGTH	SHANK	APX. CT./LB.	1# BOX*	50# BULK
1-1/2"	Smooth	577	0223098	0223092
2"	Smooth	432	0223138	0223132

*only 4 per master

SIDING



SIDING

Siding nails are used for fastening wood siding or screening.

SPIRAL SIDING NAILS



PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	50# BULK
6D	2"	Spiral	Hot Dipped Galvanized	186	0004138	0004135	0004132
8D	2-1/2"	Spiral	Hot Dipped Galvanized	145	0004158	0004155	0004152

RING SHANK SIDING NAILS



PENNY	LENGTH	SHANK	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	50# BULK
6D	2"	Ring	304 Stainless Steel	237	0241138	0241135	-	-
8D	2-1/2"	Ring	304 Stainless Steel	196	0241158	0241155	-	-
5D	1-3/4"	Ring	316 Stainless Steel	337	0241118S	0241115S	-	-
6D	2"	Ring	316 Stainless Steel	237	0241138S	0241135S	0241139S	-
8D	2-1/2"	Ring	316 Stainless Steel	196	0241158S	0241155S	0241159S	-
10D	3"	Ring	316 Stainless Steel	120	0241178S	0241175S	0241179S	0241172S
16D	3-1/2"	Ring	316 Stainless Steel	88	0241198S	0241195S	0241199S	0241192S

CAPS

Caps are nails with a round plastic or steel disc used to secure the building envelope. The cap provides greater holding power than nails and staples alone. Cap nails are used in residential and commercial settings.



Bulk caps nails are provided by our National Nail brand STINGER®



RING SHANK PLASTIC CAP

1" diameter round, plastic cap.

Deformed ring shank for greater holding power. All hand-driven caps are packaged as integral nail-cap units.

Plastic caps are used for securing roofing underlayment, house wrap, and insulation in residential and commercial applications.

RING SHANK PLASTIC CAP

LENGTH	SHANK	COATING	100CT.	250CT	2000 CT BOX	2000 CT PAIL	2500 CT PAIL	3000 CT PAIL
3/4"	Ring	Electro Galvanized	-	-	0135033	-	-	0135031
7/8"	Ring	Electro Galvanized	-	0135045	0135043	-	-	0135041
1"	Ring	Electro Galvanized	-	0135055	0135053	-	-	0135051
1-1/4"	Ring	Electro Galvanized	-	0135075	0135073	-	0135071	-
1-1/2"	Ring	Electro Galvanized	0135095	-	0135093	0135091	-	-
1-3/4"	Ring	Electro Galvanized	0135115	-	0135113	0135111	-	-
2"	Ring	Electro Galvanized	0135135	-	0135133	0135131	-	-
2-1/2"	Ring	Electro Galvanized	0135155	-	0135153	0135151	-	-
3"	Ring	Electro Galvanized	0135175	-	0135173	-	-	-

STINGER® Plastic HandDrive



STEEL CAP

1" diameter round, steel cap.

Heavier, deformed ring shank for greater holding power.

Steel caps are used for applying asphalt shingles, insulation board, roofing underlayments, built-up (BUR) modified, and single-ply on nailable wood roof decks.

STEEL CAP

LENGTH	SHANK	COATING	APX. CT./LB.	250CT	25# BOX	25# PAIL	50# BULK
3/4"	Ring	Electro Galvanized	90	-	-	0127030	0127032
7/8"	Ring	Electro Galvanized	88	-	-	0127040	0127042
1"	Ring	Electro Galvanized	86	0127055	0127053	0127050	0127052
1-1/4"	Ring	Electro Galvanized	84	0127075	0127073	0127070	0127072
1-1/2"	Ring	Electro Galvanized	81	0127095	0127093	0127090	0127092
1-3/4"	Ring	Electro Galvanized	77	0127115	0127113	-	0127112
2"	Ring	Electro Galvanized	74	-	0127133	-	0127132
2-1/2"	Ring	Electro Galvanized	67	-	0127153	-	0127152
3"	Ring	Electro Galvanized	60	-	0127173	-	0127172
3-1/2"	Ring	Electro Galvanized	56	-	0127193	-	-
4"	Ring	Electro Galvanized	48	-	0127203	-	-
5"	Ring	Electro Galvanized	35	-	0127223	-	-
8"	Ring	Electro Galvanized	27	-	0127263	-	-

STINGER® Steel HandDrive



FLUTED MASONRY

1" diameter round, steel cap.

All hand-driven caps are packaged as integral nail-cap units.

Fluted masonry caps are used for fastening flashing, termination, or insulation to parapet and masonry block in commercial applications.

FLUTED MASONRY

SIZE	DESCRIPTION	COATING	25# BOX
3/4"	Fluted	Brite	0129033
1"	Fluted	Brite	0129053
1-1/4"	Fluted	Brite	0129073
1-1/2"	Fluted	Brite	0129093
2"	Fluted	Brite	0129133
2-1/2"	Fluted	Brite	0129153
3"	Fluted	Brite	0129173

STINGER® Steel HandDrive

SCREWS

TERMINOLOGY

**HEAD**

Round metal piece at the top of the screw.

THREAD

The spiral ridge on a screw; designed so the screw can be rotated into or out of an object.

POINT

Sharpened end opposite the head for greater ease in driving.

DRIVE

Part of a screw or bolt head that meshes with a tool and allows the tool to rotate it; designed into the head, various designs work with different tools; drive surface can be internal (recessed) or external.

LENGTH

Distance from the bottom of the head to the point of a screw.

COATINGS

CERAMIC COATED

Made of sprayed aluminum oxide or zirconium oxide, essentially crystalline nature, applied as a protective film on metal to protect against temperatures above 110°C; highly resistant to corrosive compounds and friction. Coating may be thick or thin depending on the functional application, and is often used for exterior building and pressure treated lumber.

PHOSPHATE COATED

Used to reduce friction during installation and increase corrosion protection. It is a conversion coating on steel produced by dipping in an aqueous solution of zinc or manganese acid phosphate. It has a dark grey to black finish providing a surface that binds well with paint and joint compound with minimal corrosion resistance. Most commonly found on drywall fasteners, phosphate coating provides minimal corrosion resistance and is recommended for interior use only.

SILVER ZINC COATED

Silver chromate plating applied as a sealer over zinc that is less than 1 mm thick. Zinc plating is the most common and economical type of plating and is a sacrificial coating designed to corrode so the screw doesn't. The limitations of zinc are that when the plating begins to corrode the zinc rust is plentiful.

YELLOW ZINC COATED

Yellow, dichromate plating applied as a sealer over zinc that is less than 1 mm thick. This coating is used on fasteners designed for interior applications when appearance is a concern. It offers a modest amount of corrosion resistance (approx. 100 hours of salt spray to 10% red rust).

GALVANIZED

Most common method of galvanization where iron or steel are coated with a thin zinc layer, resulting in high corrosion resistance suitable for some acidic and treated lumber. It will corrode over time as the coating wears, but is generally good for the lifetime of the application - typically used in outdoor applications.

TERMINOLOGY

HEADS



BUGLE HEAD

Tapered, countersinking that has a smooth progression from the shank to the angle of the head, compresses the surface of the material under it as driven.



TRIM HEAD

Countersinks like a finish nail, and is used for the fine carpentry applications.



WAFER HEAD

Flat, wide head ideal for installing cement boards.



PAN HEAD

A low disc with chamfered outer edge. It has a flat bearing surface and is designed for light gauge steel to steel applications.



HEX WASHER HEAD

For fastening steel to steel, it can be driven with a nut driver.

DRIVES



COMBINATION

Combines Phillips/Square screw drives. While a standard Phillips or Square (Robertson) tool can be used, there's also a dedicated tool that increases the surface area between the tool and the fastener so it can handle more torque. It's also known as the Quadrex screw drive.



PHILLIPS

A cross-shaped recess designed so the driver will ride out, or cam out under strain to prevent over-tightening and prevent the fastener from damaging the work or the head.



SQUARE

A square-shaped recess in the screw head. The screwdriver has a square protrusion on the tool, and both the tool and the socket have a taper. This helps to make inserting the tool easier, and tends to help keep the screw on the tool tip without the user needing to hold it there. Also known as a Robertson drive.



STAR

A star-shaped recess with six points of contact. It's designed to permit increased torque transfer from the driver to the bit compared to other drive systems. It resists cam out for extended bit life, and is often referred to by the original proprietary brand name, Torx®.

THREADS



COARSE

Provides superior holding power when attaching to wood.



FINE

Provides superior holding power when attaching to light-gauge steel.



HIGH-LOW

For attaching drywall to light-gauge steel or wood studs. This type also provides higher resistance to strip-out.

POINTS



SHARP POINT

A very sharp point that aids in quick driving; standard screw point for fastening into wood and other medium to soft materials; also known as a Type A point.



SELF DRILLING

Has a drill-shaped point to penetrate medium to heavy 12-20 gauge steel (too thick to be pierced); eliminates the need for drilling a pilot hole; designed for use in soft steel or other metals; points are numbered from 1 through 5 - the larger the number, the thicker the metal it can go through without a pilot.



SELF PIERCING

Has a cylindrical shaft, sharp thread, and needle point that cuts its own hole, and is often used in light gauge sheet metal or plastic applications. The point stabs through the material, making a hole slightly smaller than the minor diameter of the threads. The lower part of the shank is designed to cut threads as the screw is driven into an untapped hole, and extrudes the metal for increased thread engagement and reduced stripping. The advantage of this screw type is that if the screw is reinstalled, new threads aren't cut as the screw driver is.

DECKING

Decking screws are used for decking and wood-to-wood construction. The PRO-FIT® Decking screws category includes ceramic coated deck screws with coarse threads for superior holding power when attaching to wood.



CERAMIC COATED

Ceramic coated to protect against high temperatures; highly resistant to corrosive compounds and more resistant to friction.

Used for wood-to-wood construction.

CERAMIC COATED

LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	BULK	BULK CT.
COMBO DRIVE									
1-5/8" x #8	Combo	Coarse	Ceramic	217	0281108	0281104	-	0285102	5000
2" x #8	Combo	Coarse	Ceramic	127	0281138	0281134	-	0285132	3500
2-1/2" x #9	Combo	Coarse	Ceramic	94	0281158	0281154	0281159	0285152	2500
3" x #9	Combo	Coarse	Ceramic	72	0281178	0281174	0281179	0285172	2000
STAR DRIVE									
1-1/4" x #8	Star	Coarse	Ceramic	271	0297078	-	0297079	0297072	8000
1-5/8" x #8	Star	Coarse	Ceramic	217	0297108	0297104	0297109	0297102	5000
2" x #8	Star	Coarse	Ceramic	127	0297138	0297134	0297139	0297132	3500
2-1/2" x #9	Star	Coarse	Ceramic	94	0297158	0297154	0297159	0297152	2500
3" x #9	Star	Coarse	Ceramic	72	0297178	0297174	0297179	0297172	2000
3-1/2" x #10	Star	Coarse	Ceramic	56	0297198	0297194	0297199	0297192	1000
4" x #10	Star	Coarse	Ceramic	50	0297208	-	0297209	0297202	1000

CAMO
DID YOU KNOW?
National Nail has a brand dedicated to deck fasteners and tools?
Visit www.camofasteners.com for more information.

DRYWALL

Drywall screws are used for attaching drywall to wood or metal studs. PRO-FIT® Drywall Screws come in three basic styles – coarse thread, fine thread, and self-drill. All are available in bugle-head with Phillips drive for specific drywall applications.



COARSE THREAD

For attaching drywall to wood studs.

COARSE THREAD

LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	BULK	BULK CT.
PHILLIPS DRIVE									
1" x #6	Phillips	Coarse	Phosphate	353	0286058	0286054	-	0287052	10000
1-1/8" x #6	Phillips	Coarse	Phosphate	311	-	-	-	0287062	10000
1-1/4" x #6	Phillips	Coarse	Phosphate	271	0286078	0286074	0286079	0287072	8000
1-5/8" x #6	Phillips	Coarse	Phosphate	222	0286108	0286104	0286109	0287102	5000
2" x #7	Phillips	Coarse	Phosphate	166	0286138	0286134	0286139	0287132	3500
2-1/2" x #8	Phillips	Coarse	Phosphate	116	0286158	0286154	0286159	0287152	2500
3" x #8	Phillips	Coarse	Phosphate	103	0286178	0286174	0286179	0287172	2000
3-1/2" x #10	Phillips	Coarse	Phosphate	59	0286198	0286194	-	0287192	1000
4" x #10	Phillips	Coarse	Phosphate	51	0286208	0286204	-	0287202	1000



FINE THREAD

Buglehead with Phillips drive for attaching drywall to metal studs.

FINE THREAD

LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL	BULK	BULK CT.
PHILLIPS DRIVE									
1" x #6	Phillips	Fine	Phosphate	329	0280058	-	0280059	0283052	10000
1-1/4" x #6	Phillips	Fine	Phosphate	271	0280078	0280074	0280079	0283072	8000
1-5/8" x #6	Phillips	Fine	Phosphate	222	0280108	0280104	-	0283102	5000
2" x #7	Phillips	Fine	Phosphate	166	0280138	0280134	0280139	0283132	3500
2-1/2" x #8	Phillips	Fine	Phosphate	116	0280158	0280154	-	-	-
3" x #8	Phillips	Fine	Phosphate	103	0280178	0280174	-	-	-



SELF-DRILL

For attaching drywall to wood or metal studs.

SELF-DRILL

LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX
PHILLIPS DRIVE - SELF DRILL					
1-1/4" x #6	Phillips	Fine	Silver Zinc	260	0288078
1-5/8" x #6	Phillips	Fine	Silver Zinc	197	0288108
1-7/8" x #7	Phillips	Fine	Silver Zinc	174	0288128
2-3/8" x #8	Phillips	Fine	Silver Zinc	109	0288148

MULTI-PURPOSE

Multi-Purpose Screws are used for a variety of interior construction projects. PRO-FIT® Multi-Purpose Screws come in three styles – Gold construction, Trimhead, and Silver Dacro.



GOLD CONSTRUCTION

Used for installing cabinets, drawer glides, and other interior applications.

GOLD CONSTRUCTION

LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	5# BOX	25# PAIL
STAR DRIVE							
1-1/4" x #8	Star	Coarse	Yellow Zinc	285	0333078G	-	-
1-5/8" x #8	Star	Coarse	Yellow Zinc	217	0333108G	0333104G	-
2" x #8	Star	Coarse	Yellow Zinc	127	0333138G	0333134G	-
2-1/2" x #9	Star	Coarse	Yellow Zinc	99	0333158G	0333154G	0333159G
3" x #9	Star	Coarse	Yellow Zinc	83	0333178G	0333174G	0333179G
3-1/2" x #10	Star	Coarse	Yellow Zinc	55	0333198G	0333194G	-
4" x #10	Star	Coarse	Yellow Zinc	50	0333208G	0333204G	-



TRIMHEAD

For attaching trimwood to metal studs. Trimhead with square drive for trim applications on drywall.

TRIMHEAD

LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	BULK	BULK CT.
SQUARE DRIVE							
1-5/8" x #6	Square	Fine	Phosphate	203	0289108	-	-
2-1/4" x #6	Square	Fine	Phosphate	166	0289148	0289142	3000
3" x #8	Square	Fine	Phosphate	107	0289178	-	-



SILVER DACRO

Used for installing cabinets, drawer glides, and for some exterior wood-to-wood fastening.

SILVER DACRO

LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	BULK	BULK CT.
PHILLIPS DRIVE							
1-1/4" x #6	Phillips	Coarse	Silver Zinc	285	0282078	0284072	8000
1-5/8" x #6	Phillips	Coarse	Silver Zinc	202	0282108	0284102	5000
2" x #7	Phillips	Coarse	Silver Zinc	160	0282138	0284132	3500
2-1/2" x #8	Phillips	Coarse	Silver Zinc	109	0282158	0284152	2500
3" x #8	Phillips	Coarse	Silver Zinc	87	0282178	0284172	2000

SPECIALTY

Specialty screws are a collection of fastener solutions that fulfill unique requirements for specific applications. The PRO-FIT® Specialty screw category includes post frame, pan head, cement Board, and gutter screws.



POST FRAME

For fastening metal roof and wall panels to the wood framing for post frame building.

SELF-PIERCE



LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	5# BOX	BULK	BULK CT.
HEX HEAD DRIVE								
1-1/2 x #9	Hex Head	Coarse	Galvanized	116	0278098	0278094	0278092	3000



CEMENT BOARD

For attaching cement board or high density exterior sheathing to wood studs.

SELF-PIERCE



LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	5# BOX	BULK	BULK CT.
T25 STAR DRIVE								
1-1/4 x #9	Star	High-Low	Ceramic	116	0314078	0314074	0314072	5000
1-5/8" x #9	Star	High-Low	Ceramic	68	0314108	0314104	0314102	4000

SPECIALTY



PAN HEAD

Pan head is a low disc with chamfered outer edge, flat bearing surface, and Phillips drive.

For light gauge steel to steel applications.

BLACK PAN HEAD SCREWS - SELF-PIERCE



LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	5# BOX
PHILLIPS DRIVE					
7/16" x #6	Phillips	Coarse	Phosphate Zinc	394	0290014

PAN HEAD SCREWS - SELF-DRILL



LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.	1# BOX	5# BOX	BULK	BULK CT.
PHILLIPS DRIVE								
7/16" x #7	Phillips	Coarse	Silver Zinc	375	0330008	0330004	0330002	10000



GUTTER

For fastening aluminum gutters as a replacement for old gutter spikes. The super-sized threads are wider than spikes creating a tight fit and superior holding strength.

GUTTER

LENGTH	DRIVE	THREAD	COATING	APX. CT./LB.
PHILLIPS DRIVE				
7" x 5/16"	Star	High-Low	Ceramic	10
7" x 5/16"	Star	High-Low	Ceramic	10

COLLATED

PRODUCT CATEGORIES

FRAMING

15°

21°

28°

30°

SIDING

WC
SIDING

PC
SIDING

METAL CONNECTOR

MC
METAL
CONNECTOR

FINISH

16^{GA}
STRAIGHT

18^{GA}
STRAIGHT

15^{GA}
DA

15^{GA}
FN

16^{GA}
ANGLED

STAPLES

18^{GA}
L

18^{GA}
SX

16^{GA}
N

16^{GA}
GSI

16^{GA}
GS

16^{GA}
BCS

16^{GA}
GSW

16^{GA}
P

FLOORING

FS

FC

ROOFING

RF

FELT STAPLES

21^{GA}
A-11

21^{GA}
STCR

20^{GA}
5010C


TERMINOLOGY



SAFETY REMINDER - Nail guns can be dangerous, so safety precautions similar to those for a firearm are usually recommended. In September 2011 The Occupational Safety and Health Administration (OSHA) and the National Institute for Occupational Safety and Health (NIOSH) issued a nail gun safety guide that details practical steps to prevent injuries including use of tools with sequential triggers, training prior to use, and use of appropriate protective equipment. We encourage you to be aware of these precautions.

FINDING THE PROPER DEGREE

To determine the proper fastener length and degree, place your strip of nails on the chart below. Position the shank of the first nail over the grey line, with the nail point over the black dot in the lower left corner.



GAUGE CHART

Number of Gauge	8	9	10	10 ^{1/4}	11	11 ^{1/2}	12	12 ^{1/2}	13	13 ^{1/2}	14	15	16	17	18	19	20	21	22	23
Inch	0.162	0.148	0.135	0.131	0.120	0.113	0.105	0.099	0.091	0.086	0.080	0.072	0.062	0.054	0.047	0.041	0.035	0.032	0.028	0.025
MM	4.114	3.766	3.342	3.330	3.061	2.870	2.150	2.324	2.324	2.180	2.032	1.828	1.587	1.371	1.206	1.041	0.889	0.812	0.711	0.635

TERMINOLOGY



ANGLE

The degree of collation.

HEAD

Round metal piece formed at the top of the nail.

SHANK

The length of the nail between the head and the point.

POINT

Sharpened end opposite the head for greater driving ease.

LENGTH

Distance from the bottom of the head to the point of the nail.

GAUGE

References how thick a fastener is, with lower numbers indicating greater thickness.



CROWN

The width across the top of a staple.

LEG

The length of a staple from the top of the crown to the point.

COATINGS

BRITE

No coating to protect the nail from corrosion if exposed to high humidity or water; not recommended for exterior use or treated lumber, and only for interior applications where no corrosion protection is needed, i.e. interior trim, framing, and finish.

ELECTRO GALVANIZED

Zinc plating process in which a layer of zinc is bonded to steel to protect against corrosion; smooth, shiny finish which is generally used in areas where minimal corrosion is needed.

EXTERIOR GALVANIZED

A high-grade anti-corrosion treatment technology that consists of three layers: 1) metallic zinc, 2) a high grade anti-corrosion chemical conversion film, 3) a baked ceramic top coating; used in outdoor applications - meets ASTM B117.

HOT DIPPED GALVANIZED

Most common method of galvanization where iron or steel are coated with a thin zinc layer, this results in high corrosion resistance suitable for some acidic and treated lumber. It will corrode over time as the coating wears, but is generally good for the lifetime of the application - typically used in outdoor applications - meets ASTM A153.

STAINLESS STEEL

Combines the properties of steel and corrosion resistance. Conditions such as low oxygen, high salinity, or poor circulation can corrode the material. 300 series stainless comprises 70% of all stainless used, and is the most corrosion resistant, ductile, and weldable, but are subject to crevice and pitting corrosion.

304/305 grades are the most versatile and widely used-contains 18% chromium and 8% nickel; recommended for exterior applications where a high level of corrosion resistance is desired.

316 grade, marine grade, has superior corrosion resistance when exposed to chemical corrodents such as sea water; slightly more nickel and the addition of 2% molybdenum is what makes the resistance to corrosion greater. Recommended for marine environments.

TERMINOLOGY



PLASTIC STRIP

Generally used for 20° - 22° framing nails. They are held together by a strip of plastic that breaks apart when fired by a gun. They're often less expensive since they are easy to manufacture. They can become very brittle when cold, and the residual plastic must be disposed of. Pieces of plastic are sometimes left under the head, causing the nail to be exposed.



WIRE STRIP & COIL

Generally used for 28° strip nails and 15° coil nails. Wire Strip fasteners use thin pieces of wire that run lengthwise to hold the fasteners in position. They're not as susceptible to water or cold weather as paper or plastic collated nails. However, the wire may fly off, and they are prone to having pieces of wire stuck under the head, exposing the nail.



PLASTIC COIL

Generally used for 15° coil nails. Fasteners are inserted into a plastic band. The band exits the coil nailer in one piece, eliminating pieces of the plastic stuck under the nail head when the nails is driven - making for easy cleanup. Plastic collation is a higher price alternative to plastic strip and is most commonly used for siding and applications where less reloading is desired.




PAPER STRIP

Generally used for 30° - 34° framing nails. Fasteners are held together by a strip of paper with glue. The paper around the fastener is driven into the wood alongside the fastener. Paper tape reduces the risk of having material stuck under the nail head and leaving the top of the fastener exposed. They may easily break apart, and don't work well in wet or moist conditions since the nails can become loose.



GLUE

Generally used for staples, brads, and floor cleats. The glue's only purpose is to hold the fasteners together while they are being driven. They offer no extra holding power after the fastener has been driven.



TAPE

Generally used for finish nails. It's clear tape collation, a stretched polyester film, that's very clean, stronger than glue, and adds durability to longer strips.

TERMINOLOGY

HEADS



BRAD HEAD

Smaller head allows nail to be concealed more easily; reduced holding power; used for finish and trim work.



CLIPPED HEAD

Standard round-head nail on the front side, but the back of the head is clipped off flush with the shank of the nail. Nails can be placed close together, which allows for less frequent loading. A specially coated paper strip applied to both sides of the clip keeps the nails in place. Some jurisdictions, especially in areas subject to sudden bursts of high wind, such as hurricanes, don't allow the use of clipped head framing nails.



ROUND

Heads are completely round, like standard hand-drive framing nails, and provide greater resistance to pull out. The nail strips are paper tape or plastic collated. Since the heads are fully round, a space must be maintained between the shanks, meaning that the collation wraps each nail rather than just being applied to the sides.



OFFSET ROUND HEAD

Instead of the head being centered on the shank, the head is offset to one side, which allows the shanks to touch one another when collated.

SHANKS



SMOOTH

Most common and often used for framing and general construction applications. They offer enough holding power for most everyday use.



DRIVE SCREW

Has helical shanks resembling a screw. Drive screw nails are mostly used with hardwood, provide greater holding power, and can sustain greater impact withdrawal work values than other nail forms do.



RING

Small directional rings on the shank prevent the nail from working back out once driven in. They also provide superior holding power over smooth shank nails because the wood fills in the crevasse of the rings and provides friction to help prevent the nail from backing out over time. Often used in softer types of wood where splitting isn't an issue.

POINTS

DIAMOND POINT

A 4-sided pyramid; most common point.



BLUNT DIAMOND POINT

Rounded diamond point to drive easier than a blunt nail without splitting.



BLUNT POINT

Reduces the chance of splitting wood, but is more difficult to drive.



COLLATED NAILS

15°

WIRE COIL

For general construction, framing, sub-flooring, roof sheathing, deck and fence building, pallets, boxes, and crating.



FITS MOST 15° WIRE COIL NAILERS

BOSTITCH N75C/N75C-1/N70CB N80C/N80CB/ N80CB1 N100C N64P N86C/89C-1	METABO (HITACHI) NV 65AC NV83A NV83A2 NV83A3 NV75AN NV83A5 NV90AG(S)	PASLODE 4275/CN70 3225/CN55 F275C/F325C P275C P235C 5325/CN80 P350C
DEWALT D51855/DWF83C FASCO F58/F6 CN15W	MAKITA AN901/AN 611/AN 621	PORTER CABLE COIL 250 350
GRIP-RITE GRTCN 90/GRTC S250	MAX CN80F CN100 CN565S CN565D CN890/890S	SENCO SCN56/SCN60 XP/ SCN65 XP SCN300
		SPOTNAILS YCN 83

15° ROUND HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2"	.113	Smooth	Brite	3000	0616633
2-3/8"	.113	Smooth	Brite	3000	0616653
3"	.131	Smooth	Brite	2500	0616670
3"	.120	Smooth	Brite	2500	0616673
3"	.120	Smooth	Brite	4000	0616674
3-1/4"	.120	Smooth	Brite	2500	0616690
3-1/4"	.131	Smooth	Brite	2500	0616693
2"	.113	Ring	Brite	3000	0616433
2-3/8"	.113	Ring	Brite	3000	0616453
2-3/8"	.113	Ring	Brite	4500	0616455
3"	.120	Ring	Brite	2500	0616473
2-3/8"	.113	Smooth	Hot Dipped Galvanized	3000	0616852
3"	.120	Smooth	Hot Dipped Galvanized	2500	0616870
3-1/4"	.120	Smooth	Hot Dipped Galvanized	2500	0616890
2-3/8"	.113	Ring	Hot Dipped Galvanized	3000	0634151
3"	.120	Ring	Hot Dipped Galvanized	2500	0634171
3-1/4"	.120	Ring	Hot Dipped Galvanized	2500	0634181

21°

PLASTIC STRIP

For general construction, framing, sub-flooring, roof sheathing, deck, and fence building.



FITS MOST 20° - 22° FRAMING NAILERS

B&C EAGLE SN
2283/SN2290

BESCO
RHF 10021/RHF 9021/RHF 9021P

BOSCH
SN350-20F

BOSTITCH
N79RHN/N88RHN/N90RHN/
N95PH/F21PL/F21PL2/LPF21PL/
F21PL2

CAMPBELL
NS2090

CRAFTSMAN
18178/18436/19034

DEWALT
D51844/D51845/51850
DWF83PL

DUO-FAST
CN 137/CN350/CN350B/SNP83

FASCO
F6C-RHN-20-100/R5C-RHN-
20-90SS-CT/20-90

GRIP-RITE
GRTRH 350

HILTI
RHN 90-20

METABO (HITACHI)
NR83A/NR835A/NR83A2/
NR83A2S/NR83A2Y/
NR90AE/NR90AEPR/
NR90 GR2/NR90AC/
NR90AC2/NR90AC3/NR-
90GR/NR83A5/NR83A5(S)/
NR90GR2/NR90AE(S1)/
NR1890DR

MAKITA
AN8300
AN922/AN923

MAX
SN80/SN90

GS683RH/GS683RX EX
SN883RH/SN883RH2/
SN883RH3/SN 890 RH

MILWAUKEE
7200-20

PASLODE
5325 SRH
5350 SRN-20

PORTER CABLE
FR350/F350A/F350 MAG

RIGID
R350 RHA

SENCO FRAME PRO
325FRHXP
700XL/702/752XP
602/652XP

SENCO
SN60/SN65
GT90 FRH

21° ROUND HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2-3/8"	.113	Smooth	Brite	5000	0616150
2-3/8"	.113	Smooth	Brite	2000	0616151
2-3/8"	.113	Smooth	Brite	1000	0616550
2-1/2"	.131	Smooth	Brite	5000	0616153
3"	.131	Smooth	Brite	4000	0616170
3"	.120	Smooth	Brite	4000	0616171
3"	.131	Smooth	Brite	2000	0616172
3"	.120	Smooth	Brite	2000	0616173
3"	.120	Smooth	Brite	1000	0616570
3-1/4"	.131	Smooth	Brite	4000	0616190
3-1/4"	.120	Smooth	Brite	4000	0616191
3-1/4"	.131	Smooth	Brite	2000	0616192
3-1/4"	.131	Smooth	Brite	1000	616590
2-3/8"	.113	Ring	Brite	5000	0710150
2-3/8"	.113	Ring	Brite	2000	0710151
2-3/8"	.113	Smooth	Hot Dipped Galvanized	2000	0705451
3"	.120	Smooth	Hot Dipped Galvanized	2000	0808171
3"	.120	Smooth	Hot Dipped Galvanized	4000	0808172
3"	.131	Smooth	Hot Dipped Galvanized	2000	0705471
3-1/4"	.120	Smooth	Hot Dipped Galvanized	2000	0705883
3-1/4"	.131	Smooth	Hot Dipped Galvanized	2000	0705882

COLLATED NAILS


21° ROUND HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2"	.113	Ring	Hot Dipped Galvanized	2000	0807131
2-3/8"	.113	Ring	Hot Dipped Galvanized	5000	0807150
2-3/8"	.113	Ring	Hot Dipped Galvanized	2000	0807151
3"	.120	Ring	Hot Dipped Galvanized	2000	0808181
3"	.120	Ring	Hot Dipped Galvanized	4000	0808182
3"	.131	Ring	Hot Dipped Galvanized	2000	0705461
3-1/4"	.131	Ring	Hot Dipped Galvanized	2000	0705884
2-3/8"	.113	Drive Screw	Hot Dipped Galvanized	5000	0809150
3"	.120	Drive Screw	Hot Dipped Galvanized	4000	0809171
3-1/4"	.120	Drive Screw	Hot Dipped Galvanized	4000	0809191
2-3/8"	.113	Smooth	304 Stainless Steel	1000	0710155
3"	.131	Smooth	304 Stainless Steel	1000	0710185
2-3/8"	.113	Ring	304 Stainless Steel	1000	0710156
3"	.120	Ring	304 Stainless Steel	1000	0710176
2-3/8"	.113	Ring	316 Stainless Steel	1000	0710258
3"	.120	Ring	316 Stainless Steel	1000	0710176S
3-1/4"	.120	Ring	316 Stainless Steel	1000	0710286

28°

WIRE STRIP

For general construction, framing, sub-flooring, roof sheathing, deck and fence building.



FITS MOST 28° FRAMING NAILERS

B&C EAGLE
SN2890

BESCO
CHF9028

BOSTITCH
N100S
N16
N70S
N79WW
N80S
N86S
N88WW
F28WW/LPF28WW

CAMPBELL
NS2890

CRAFTSMAN
18179

DEWALT
DWF83WW
FASCO
R5C-HHN28-90-SS CT

GREX
SF-9028H

GRIP-RITE
GRTF W83

METABO (HITACHI)
NR90AF(S1)

MAX
SN565S
CN565D
CN890/890S
SN883 CH/28
SN890CH/28

PORTER CABLE
FM350
FM350A

PRIME AIR
PWCH 350

28° ROUND HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2"	.113	Smooth	Brite	2000	0629230
2-3/8"	.113	Smooth	Brite	2000	0629250
3"	.131	Smooth	Brite	2000	0629270
3"	.120	Smooth	Brite	2000	0629271
3-1/4"	.120	Smooth	Brite	2000	0629281
3-1/4"	.131	Smooth	Brite	2000	0629280
3-1/2"	.131	Smooth	Brite	2000	0629290
2-3/8"	.113	Ring	Brite	2000	0630250

28° ROUND HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2-3/8"	.113	Smooth	Hot Dipped Galvanized	2000	0636250
3"	.120	Smooth	Hot Dipped Galvanized	2000	0636271
3-1/2"	.131	Smooth	Hot Dipped Galvanized	2000	0636290
2-3/8"	.113	Ring	Hot Dipped Galvanized	2000	0634250
3"	.120	Ring	Hot Dipped Galvanized	2000	0634270
3-1/4"	.120	Ring	Hot Dipped Galvanized	2000	0634280
3-1/4"	.131	Ring	Hot Dipped Galvanized	2000	0634191

28° CLIPPED HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2-3/8"	.113	Ring	304 Stainless Steel	2000	0633150
3"	.120	Ring	304 Stainless Steel	2000	0633171
3"	.120	Ring	Hot Dipped Galvanized	2000	0634170

COLLATED NAILS

30°

PAPER TAPE STRIP

For general construction, framing, sub-flooring, roof sheathing, deck, and fence building.



FITS MOST 30° - 34° FRAMING NAILERS

B&C EAGLE
SN3483/SN3490/GT350,
MC150

BEA
D100 -394C

BOSTITCH
N90PT
MCN 250/150
F33PT
LPF33PT

CRAFTSMAN
18179

DEWALT
DWF83PT
D51822/D51823/D51825

FASCO
F5C-HHN-31-83

GREX
SF9034H

GRIP-RITE
GRPCH 350

GRIZZLY
H557

HILTI
CHN 9033

METABO (HITACHI)
NR83AA/NR83AA2
NR83AA3/NR83AA5
NR90AA/NR90AD/
NR90GC2/NR90ADPR/
NR90AD(S1)/NR1890DC/
NR90GC2

INTERCHANGE
NSC 83-84

MAKITA
AN-94/AN-943

MAX
SN890CH/34
SN890CH3
GS683/GS 683 CH EX

MILWAUKEE
7110-20

PASLODE
PF350S
CF325/5350/CF325XP
F-350/IMCT/SK312
F350-P/F350-S
F325R

PORTER CABLE
FC350 350A

RIGID
R250 CHA

SENCO FRAME PRO
325XP
601/651/701XP/751XP

SENCO
GT 90 CH
951 XP/901 XP/SN2+/SN-
325/SN-4/SN-70

SPOTNAILS
YTD 90
NTD 90

30° CLIPPED HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2"	.113	Smooth	Brite	2000	0600132
2-1/4"	.120	Smooth	Brite	1000	0600141
2-3/8"	.113	Smooth	Brite	5000	0600150
2-3/8"	.113	Smooth	Brite	2000	0600152
3"	.120	Smooth	Brite	2500	0600171
3"	.131	Smooth	Brite	2500	0600170
3-1/4"	.131	Smooth	Brite	2500	0600190
3-1/2"	.131	Smooth	Brite	2500	0600200
2"	.113	Ring	Brite	2000	0602132
2-3/8"	.113	Ring	Brite	2000	0602152
2-3/8"	.113	Ring	Brite	5000	0602150
2-3/4"	.131	Ring	Brite	2500	0600160
3"	.120	Ring	Brite	2500	0602172

30° ROUND HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2-3/8"	.113	Smooth	Brite	5000	0600250
2-3/8"	.113	Smooth	Brite	2000	0600251
3"	.131	Smooth	Brite	1000	0600570
3"	.131	Smooth	Brite	2500	0600270
3"	.120	Smooth	Brite	2500	0600271
3-1/4"	.131	Smooth	Brite	2500	0600290
2-3/8"	.113	Ring	Brite	5000	0600360
2-3/8"	.113	Ring	Brite	2000	0600362

30° CLIPPED HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2-3/8"	.113	Smooth	Hot Dipped Galvanized	2000	0608152
2-1/4"	.120	Smooth	Hot Dipped Galvanized	1000	0600241
3"	.131	Smooth	Hot Dipped Galvanized	2000	0607175
3-1/4"	.131	Smooth	Hot Dipped Galvanized	2000	0607195
3-1/2"	.131	Smooth	Hot Dipped Galvanized	2000	0601204
2"	.113	Ring	Hot Dipped Galvanized	2000	0607132
2-3/8"	.113	Ring	Hot Dipped Galvanized	2000	0601152
3"	.120	Ring	Hot Dipped Galvanized	2000	0601172
3-1/4"	.120	Ring	Hot Dipped Galvanized	2000	0601192
3-1/2"	.131	Ring	Hot Dipped Galvanized	2000	0601205

30° ROUND HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
3"	.120	Smooth	Hot Dipped Galvanized	2500	0600370
3"	.131	Smooth	Hot Dipped Galvanized	2000	0600372
3-1/4"	.131	Smooth	Hot Dipped Galvanized	2500	0600391
2-3/8"	.113	Ring	Hot Dipped Galvanized	2000	0600352
3"	.120	Ring	Hot Dipped Galvanized	2500	0600371

30° CLIPPED HEAD


LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
2-3/8"	.113	Smooth	304 Stainless Steel	1000	0605251
3"	.131	Smooth	304 Stainless Steel	1000	0605170
2-3/8"	.113	Ring	304 Stainless Steel	1000	0605250
3"	.120	Ring	304 Stainless Steel	1000	0605171
3"	.131	Ring	304 Stainless Steel	1000	0605270
3-1/4"	.131	Ring	304 Stainless Steel	1000	0605290

COLLATED NAILS



WIRE COIL SIDING

Used for cement board siding, fencing, and exterior trim.



FITS MOST 15° WIRE COIL NAILERS

BOSTITCH N66C-1/N66BC-1	METABO (HITACHI) NV65AH/NV65AH-2 NV75AG NV50AG NV50AE NV65AC NV65AB	MAX CN55 CN565/S	PORTER CABLE COIL 200-250
DUO-FAST N55		PASLODE P275C 3250C/HSF HSF	SENCO SCN45 SCN49 SCN55 SCN56
GRIP-RITE GRTCS250			
FASCO CN15W	MAKITA AN611 AN621		

WIRE COIL ROUND HEAD

LENGTH	DIAMETER	DESCRIPTION	COATING	COUNT	SKU #
1-3/4"	.092	Smooth	Electro Galvanized	9000	0616725
2-1/4"	.092	Smooth	Electro Galvanized	9000	0616745
2-3/16"	.099	Smooth	Hot Dipped Galvanized	3000	0640163
2-1/4"	.092	Ring	Electro Galvanized	3600	0616748
1-1/2"	.080	Ring	Hot Dipped Galvanized	3000	0616828
1-3/4"	.092	Ring	Hot Dipped Galvanized	3600	0616820
1-3/4"	.080	Ring	Hot Dipped Galvanized	3000	0616829
2"	.092	Ring	Hot Dipped Galvanized	3600	0616823
2"	.099	Ring	Hot Dipped Galvanized	3000	0616833
2-1/4"	.092	Ring	Hot Dipped Galvanized	4500	0616845
2-1/2"	.092	Ring	Hot Dipped Galvanized	3600	0616856
1-1/4"	.093	Ring	304 Stainless Steel	3600	0640071
1-1/2"	.093	Ring	304 Stainless Steel	3600	0640091
1-3/4"	.093	Ring	304 Stainless Steel	3600	0640111
2"	.093	Ring	304 Stainless Steel	3600	0640131
2-1/4"	.093	Ring	304 Stainless Steel	3600	0640141
2-1/2"	.093	Ring	304 Stainless Steel	3600	0640151
1-1/4"	.090	Ring	304 Stainless Steel	1.2M	640072
1-1/4"	.090	Ring	304 Stainless Steel	1.2M	640172
1-1/2"	.090	Ring	304 Stainless Steel	1.2M	640092
1-3/4"	.090	Ring	304 Stainless Steel	1.2M	640112
2-3/16"	.090	Ring	304 Stainless Steel	3.6M	640161
1-1/4"	.092	Ring	316 Stainless Steel	1.8M	0640071S
1-1/2"	.092	Ring	316 Stainless Steel	1.8M	0640091S
1-3/4"	.092	Ring	316 Stainless Steel	1.8M	0640111S
2"	.092	Ring	316 Stainless Steel	1.8M	0640131S
2-1/4"	.092	Ring	316 Stainless Steel	1.8M	0640141S
2-1/2"	.092	Ring	316 Stainless Steel	1.8M	0640151S
2"	.099	Drive Screw	Brite	9000	0614130
2-1/4"	.099	Drive Screw	Brite	9000	0614140



PLASTIC COIL SIDING

Used for cement board siding, fencing, and exterior trim.



FITS MOST 15° PLASTIC SIDING COIL NAILERS

B&C EAGLE
CN65SP

BOSTITCH
N55/N57C
N64C/CP
N75C-1
N63 CP
N65 CP
N66C-1/N66BC-1
N66C/C1

DUO-FAST
CNP 60Y

METABO (HITACHI)
NV65AH/ NV65AH2
NV75AG
NV50AG

PASLODE
3250C/HSF

PORTER CABLE COIL
200-250

MAKITA
AN 611

MAX
CN550S
CN565S
CN890 S
HN 65/HN 75/HN 90

SENCO
SCN55S
SCN56
SCN60XP

PLASTIC COIL ROUND HEAD

LENGTH	DIAMETER	DESCRIPTION	COATING	COUNT	SKU #
2-1/4"	.092	Smooth	Hot Dipped Galvanized	4800	0614145
2"	.092	Ring	Hot Dipped Galvanized	6000	0614136
2-1/4"	.092	Ring	Hot Dipped Galvanized	4800	0614146
2-1/2"	.092	Ring	Hot Dipped Galvanized	4800	0614156
1-1/2"	.092	Ring	316 Stainless Steel	3200	0614097S
1-3/4"	.092	Ring	316 Stainless Steel	3200	0614107S
2-1/2"	.092	Ring	316 Stainless Steel	3200	0614157S
1-1/2"	.092	Ring	316 Stainless Steel	1800	0614096S
1-3/4"	.092	Ring	316 Stainless Steel	1800	0614116S
2"	.092	Ring	316 Stainless Steel	1800	0614136S
2-1/2"	.092	Ring	316 Stainless Steel	1800	0614156S

COLLATED NAILS



METAL HANGER NAIL

Used for metal connectors, joist hangers, joist ties, hurricane straps, foundation anchors, and wall bracing.



FITS MOST 31° METAL CONNECTOR NAILERS

BOSTITCH

MCN150
MCN250
F33PT

GRIP-RITE

GR150
GR250

METABO (HITACHI)

NR65AK
NR65AKS

PASLODE

5250/65SPP
F250S-PP
PF1505-PP
PF250S-PP

PNEUTOOL

RN150
RN250

SENCO

HN150
HN250

METAL CONNECTOR ROUND HEAD

LENGTH	DIAMETER	SHANK	COATING	COUNT	SKU #
1-1/2"	.148	Smooth	Brite (Heat Treated)	3000	0606190
1-1/2"	.148	Smooth	Brite	3000	0606390
2-1/2"	.162	Smooth	Brite	2000	0606380
1-1/2"	.131	Smooth	Galvanized	1000	0606591
1-1/2"	.131	Smooth	Galvanized	4000	0606590
1-1/2"	.148	Smooth	Galvanized	1000	0606491
1-1/2"	.148	Smooth	Galvanized	3000	0606490
2-1/2"	.162	Smooth	Galvanized	2000	0606280
1-1/2"	.148	Smooth	Galvanized Heat Treated	3000	0606290
2-1/2"	.148	Smooth	Galvanized Heat Treated	2000	0606480
1-1/2"	.148	Smooth	316 Stainless Steel	1000	0606090S

16^{GA}
STRAIGHT

16GA STRAIGHT FINISH NAIL

Straight 16GA finish nails are used for cabinet and furniture building, fine wood working, molding, and trim. The heads may require filling with putty, spackle, or caulk.



FITS MOST 16GA STRAIGHT FINISH NAILERS

B&C EAGLE FN1664	DEWALT DWFP71917 D51256K/D51257K DC612KA/DC613KA/DC616K	METABO (HITACHI) NT65A NT65A2 NT65A3 NT65M/NT65M2(S) NT1865DM NT65GP9	PASLODE 3200-F16 3250-F16 F16200 IM250II/IM250S-LI T250F16/T250S-F16	RIGID R250SFA
BOSCH FNS250/16	DUO-FAST LFN 764A BFN-740	MAX NF235-ST16-50/NF235F-18/ NF255FA-18	PORTER CABLE FN250 FN250A FN250C FN250B	SENCO AIR FREE 32 FINISH PRO 32
BOSTITCH SB-1664FN/FN1664K GFN1664K	GREX NT 1650	MILWAUKEE 7145-21/2740-80	PREBENA 3MN-63	
CAMPBELL NB00050	GRIP-RITE GRPFN 250			
CRAFTSMAN 18175/18176 18314 18441/18449	HILTI FBN-212N			

SIZE	COATING	COUNT	SKU #
1"	Electro Galvanized	5000	0712250
1-1/4"	Electro Galvanized	5000	0712300
1-1/2"	Electro Galvanized	2500	0712375
1-3/4"	Electro Galvanized	2500	0712450
2"	Electro Galvanized	2500	0712500
2-1/2"	Electro Galvanized	2500	0712600

SIZE	COATING	MASTER COUNT	SKU #
1"	Electro Galvanized	5/1000	0712254
1-1/4"	Electro Galvanized	5/1000	0712304
1-1/2"	Electro Galvanized	5/1000	0712374
1-3/4"	Electro Galvanized	5/1000	0712454
2"	Electro Galvanized	5/1000	0712504
2-1/4"	Electro Galvanized	5/1000	0712554
2-1/2"	Electro Galvanized	5/1000	0712604
1-1/2"	304 Stainless Steel	1000	0712371
2"	304 Stainless Steel	1000	0712501
2-1/2"	304 Stainless Steel	1000	0712601
1-1/2"	316 Stainless Steel	1000	0712371S
2"	316 Stainless Steel	1000	0712501S
2-1/2"	316 Stainless Steel	1000	0712601S
1-1/2"	316 Stainless Steel	2500	0712375S
2"	316 Stainless Steel	2500	0712500S
2-1/2"	316 Stainless Steel	2500	0712600S

COLLATED NAILS



18GA STRAIGHT BRAD NAIL

Straight 18GA finish nails are used for cabinet and furniture building, fine wood working, molding, and trim. The heads are easily concealed.



FITS MOST 18GA STRAIGHT FINISH NAILERS

B&C EAGLE BN1855	CAMPBELL NB0030/I NB0040	METABO (HITACHI) NT32AE/NT32AE2/NT45A/NT50AD/NT50AE/NT50AE2(S)/NT1850DE/NT50GSD9	PASLODE T125-F18/T200-F18/2138-F18 IM200 F-18/IM200LI T200-F18	SENCO AIR FREE 25 LS4/LS5/FN55AX/ PC 0991 SDN18-BR/SLP20
BOSCH BN200-18	CRAFTSMAN 18172/18173/18174/18323/18433/18454	MAKITA AF502/AF503/AF505	PORTER CABLE BN125/125A/BN138/ BN200/BN200A/ BN200B/BN200V12	SENCO FINISH PRO 15XP/MG 18XP/MG 25XP 2NI
BOSTITCH BT31-1B/BT35B/BT50B/ BT125K/BT200K/SB-1842BN/SB-1850BN GBT1850K BT1855K SB-21N1	DEWALT DC608B/DC608K/D51236K/D51238K	MAX NF201/18-25/35 NF NF221/18-55MAX NF255 ST/18	RIGID R213 BNA	SPOTNAILS WB1850 CB1832/CB1850 TB1840
	DUO-FAST BB4440 DBN 4440/4450 SURE SHOT 4450/4450ST	MILWAUKEE 2740-20		

SIZE	COATING	COUNT	SKU #
5/8"	Electro Galvanized	5000	0718100
3/4"	Electro Galvanized	10,000	0718101
1"	Electro Galvanized	5000	0718102
1-1/4"	Electro Galvanized	5000	0718103
1-1/2"	Electro Galvanized	5000	0718108
1-3/4"	Electro Galvanized	5000	0718106
2"	Electro Galvanized	5000	0718107

PROJECT PACK

SIZE	COATING	MASTER COUNT	SKU #
1/2"	Electro Galvanized	10/1000	0718200
3/4"	Electro Galvanized	10/1000	0718201
1"	Electro Galvanized	10/1000	0718202
1-1/4"	Electro Galvanized	10/1000	0718203
1-3/8"	Electro Galvanized	10/1000	0718204
1-1/2"	Electro Galvanized	10/1000	0718208
1-3/4"	Electro Galvanized	10/1000	0718206
2"	Electro Galvanized	10/1000	0718207
3/4"	304 Stainless Steel	1000	0718301
1"	304 Stainless Steel	1000	0718302
1-1/4"	304 Stainless Steel	1000	0718306
1-1/2"	304 Stainless Steel	1000	0718307
2"	304 Stainless Steel	1000	0718309
1-1/4"	316 Stainless Steel	1000	0718306S
1-1/2"	316 Stainless Steel	1000	0718307S
2"	316 Stainless Steel	1000	0718309S
1-1/4"	316 Stainless Steel	5000	0718103S
1-1/2"	316 Stainless Steel	5000	0718108S
2"	316 Stainless Steel	5000	0718107S



15GA DA ANGLED FINISH NAIL

33° DA angled finish nails are used for cabinet and furniture building, wood working, molding, trim, and casings. Heads may require filling with putty, spackle, or caulk.



FITS MOST 33° DA STYLE FINISH NAILERS

B&C EAGLE FN 1564	FASCO R4-BA65 CT	MILWAUKEE 7140-21	SENCO AIR FREE FINISH PRO
BOSTITCH DA1564K	GRIP-RITE GRTAN 250	PORTER CABLE DA250B DA250C	SFN-1 SFN-2B SFN-30 SFN-40
CRAFTSMAN 18177. 18432	METABO (HITACHI) NT65AA NT65MA2/NT65MA4(S) NT65GRP9	RIGID R250 AF18 R250 AFA	
DEWALT DWFP72155 D51275K/D51276K DC628K			

SIZE	COATING	COUNT	SKU #
1-1/2"	Electro Galvanized	4000	0603090
2"	Electro Galvanized	4000	0603130
2-1/2"	Electro Galvanized	4000	0603150

PROJECT PACK

SIZE	COATING	MASTER COUNT	SKU #
1-1/2"	Electro Galvanized	4/1000	0603094
2"	Electro Galvanized	4/1000	0603134
2-1/2"	Electro Galvanized	4/1000	0603154
1-1/2"	304 Stainless Steel	1000	0603092
2"	304 Stainless Steel	1000	0603132
2-1/2"	304 Stainless Steel	1000	0603152
1-1/2"	316 Stainless Steel	1000	0603092S
2"	316 Stainless Steel	1000	0603132S
2-1/2"	316 Stainless Steel	1000	0603152S
1-1/2"	316 Stainless Steel	4000	0603090Sz
2"	316 Stainless Steel	4000	0603130S
2-1/2"	316 Stainless Steel	4000	0603150S

COLLATED NAILS



15GA FN ANGLED FINISH NAIL

25° FN angled finish nails are used for cabinet and furniture building, wood working, molding, trim, and casings. Heads may require filling with putty, spackle, or caulk.



FITS MOST 25° FN FINISH NAILERS

BOSTITCH

N60FN
N62FNK-2
GFN 1564K

MAKITA

AF 631
AF 632

FASCO

R4PFN DF-70

MAX

NF510/15/50

SPOTNAILS

XBFN64

GRIP-RITE

GRPANB250

LENGTH	COATING	COUNT	SKU #
1-1/2"	Electro Galvanized	3500	0635090
2"	Electro Galvanized	3500	0635130
2-1/2"	Electro Galvanized	3500	0635150

PROJECT PACK

LENGTH	COATING	MASTER COUNT	SKU #
1-1/2"	Electro Galvanized	4/500	0635094
2"	Electro Galvanized	4/500	0635134
2-1/2"	Electro Galvanized	4/500	0635154
1-1/2"	304 Stainless Steel	500	0635093
2"	304 Stainless Steel	500	0635133
2-1/2"	304 Stainless Steel	500	0635153
2-1/2"	316 Stainless Steel	500	0635153S



16GA ANGLLED FINISH NAIL

20° angled finish nails are used for cabinet and furniture building, wood working, molding, trim, and casings. Heads may require filling with putty, spackle, or caulk.



FITS MOST 20° ANGLLED FINISH NAILERS

DEWALT

DC614KA
DC614KN
DC618K

DUO-FAST

250BN

METABO (HITACHI)

NT65GB
NT65GBP9

MILWAUKEE

2742-20

PASLODE

IM250 A-F-16
IM250A-2I
IM250A
IM250A-LI
T250A-F16

LENGTH	COATING	COUNT	SKU #
1-1/2"	Electro Galvanized	2000	0641090
2"	Electro Galvanized	2000	0641130
2-1/2"	Electro Galvanized	2000	0641150

PROJECT PACK

LENGTH	COATING	MASTER COUNT	SKU #
1-1/2"	Electro Galvanized	4/500	0641094
2"	Electro Galvanized	4/500	0641134
2-1/2"	Electro Galvanized	4/500	0641154
1-1/2"	304 Stainless Steel	500	0641092
2"	304 Stainless Steel	500	0641132
2-1/2"	304 Stainless Steel	500	0641152
1-1/2"	316 Stainless Steel	500	0641092S
2"	316 Stainless Steel	500	0641132S
2-1/2"	316 Stainless Steel	500	0641152S

COLLATED STAPLES

18^{GA}
L

18GA L 1/4" CROWN STAPLE

Narrow crown staples are used for molding, trim, lattice, soffits and fascia, cabinets, upholstery, and paneling.



FITS MOST 1/4" CROWN L STYLE STAPLERS

B&C EAGLE
NS 1840L

DEWALT
DWFP1838
D51420K/D51422K

DUO-FAST
BN1832
DNS1840
KB1836
KN1848A/1848K

METABO (HITACHI)
N3804A/N3804AB
N3804AB2/N3804AB3/
N3804AB3(S)

MAKITA
AT638

MAX
TA238/18-6

MILWAUKEE
7155-21

PORTER CABLE
NS100/100A/100B
NS150/150A/150B
NS SS150

RIGID
R150FSA

SENCO
FINISH PRO
LN 4450
SKS 2
SKS N4450
SLS15/18/20/25XP

SPOTNAILS
TS4825

STANDARD CROWN

LENGTH	CROWN	COATING	COUNT	SKU #
1/2"	1/4"	Electro Galvanized	8000	0718130
3/4"	1/4"	Electro Galvanized	4000	0718128
1"	1/4"	Electro Galvanized	4000	0718131
1-1/4"	1/4"	Electro Galvanized	4000	0718132
1-1/2"	1/4"	Electro Galvanized	4000	0718133

PROJECT PACK

LENGTH	CROWN	COATING	MASTER COUNT	SKU #
1/2"	1/4"	Electro Galvanized	8/1000	0718230
3/4"	1/4"	Electro Galvanized	8/1000	0718228
7/8"	1/4"	Electro Galvanized	8/1000	0718229
1"	1/4"	Electro Galvanized	8/1000	0718231
1-1/4"	1/4"	Electro Galvanized	8/1000	0718232
1-1/2"	1/4"	Electro Galvanized	8/1000	0718233

NARROW CROWN STAPLE

LENGTH	CROWN	COATING	COUNT	SKU #
1-1/4"	1/4" NARROW	304 Stainless Steel	1000	0718432
1-1/2"	1/4" NARROW	304 Stainless Steel	1000	0718433

18^{GA}
SX

18GA SX 7/32" CROWN STAPLE

Used for molding, trim, lattice, and soffits and fascia, cabinets, upholstery, and paneling.



FITS MOST 7/32" BOSTITCH SX STYLE STAPLERS

BOSTITCH
SX 150
S 32 SX
SB150SX
T28-5/T29-30/T31

T35-15
T40SX CT
SX1838K
SB-150SX
EHF1838K

STANDARD CROWN

LENGTH	CROWN	COATING	COUNT	SKU #
1-3/16"	7/32"	Electro Galvanized	5000	0715172

16^{GA}
N

16GA N 7/16" STANDARD CROWN STAPLE

Used for molding, trim, lattice, and soffits and fascia, furniture, fencing, pallets, box and crating.



FITS MOST 7/16" SENCO N STYLE STAPLERS

B&C EAGLE
MS1650

MAX
TA 551-16

DEWALT
D51430

PORTER CABLE
MS200

GRIP-RITE
GRPS1200

SENCO
M1/M2
SKS N12/N17
SNS 40/41
SNS 45/50

METABO (HITACHI)
N5008A1/AA/AB/AC

STANDARD CROWN

LENGTH	CROWN	COATING	COUNT	SKU #
1-1/2"	7/16"	Electro Galvanized	10,000	0617090
1-3/4"	7/16"	Electro Galvanized	10,000	0617110
2"	7/16"	Electro Galvanized	10,000	0617130

COLLATED STAPLES

16^{GA}
GSI

16GA GSI 7/16" CROWN STAPLE

Used for molding, trim, lattice, and soffits and fascia, furniture, fencing, pallets, box and crating.



FITS MOST 7/16" Duo-Fast® GSI STYLE STAPLERS

DUO-FAST
KS 7648
SM 7664
MS7664E

PASLODE
MA-GSI-116

SPOTNAILS
XS6650

HAUBOLD
PN764


MEDIUM CROWN

LENGTH	CROWN	COATING	COUNT	SKU #
1-1/2"	7/16"	Electro Galvanized	10,000	0621090

16^{GA}
GS

16GA GS 1/2" CROWN STAPLE

Used for molding, trim, lattice, soffits and fascia, furniture, fencing, pallets, box and crating.



FITS MOST 1/2" PASLODE® GS STYLE STAPLERS

B&C EAGLE
MS1650

PASLODE
S200-S16
3150-S16P
3200-S16P
4200-S16P
5200
PA200
IM200-S16

SPOTNAILS
MS76-8650
XS 76-8650

DEWALT
D51431

MEDIUM CROWN

LENGTH	CROWN	COATING	COUNT	SKU #
1-1/2"	1/2"	Electro Galvanized	10,000	0713090

16^{GA}
BCS

16GA BCS 1/2" CROWN STAPLE

Used for molding, trim, lattice, and soffits and fascia, furniture, fencing, pallets, box and crating.



FITS MOST 1/2" BOSTITCH® BCS STYLE STAPLERS

BOSTITCH	T-36-1T38
438-S4	T36-50
538-S4	T40-S4
650-S4	T-50-S4/T55-S4

MEDIUM CROWN

LENGTH	CROWN	COATING	COUNT	SKU #
1-1/2"	1/2"	Electro Galvanized	10,000	0687090

COLLATED STAPLES



16GA GSW 15/16" CROWN STAPLE

Used for wire lathing, roofing felt, roofing, foam, sheathing, and butt joints.



FITS MOST 15/16" PASLODE® GSW STYLE STAPLERS

GRIP-RITE	PASLODE	SPOTNAILS
SWP150	3150-W16R	XS 2640
	3200-W16	XS 2650
	S150-W16R	
	S200-W16	
	5200-W-16	
	M100	
	MU-112-W16R	


WIDE CROWN

LENGTH	CROWN	COATING	COUNT	SKU #
1"	15/16"	Electro Galvanized	10,000	0714050



16GA P 1" WIDE CROWN STAPLE

Used for wire lathing, roofing felt, roofing, foam, sheathing, and butt joints.



FITS MOST 15/16" PASLODE® P STYLE STAPLERS

DUO-FAST	SPOTNAILS
1748	XS 3640
	XS 3650
GRIP-RITE	SENCO
GRPSW150	MW/MWXP
	PW/PW2
METABO (HITACHI)	SPS
N3824A	PW150-15R
MAKITA	PW200P
AT2550A	

WIDE CROWN

LENGTH	CROWN	COATING	COUNT	SKU #
1"	1"	Electro Galvanized	10,000	0619050
5/8"	1"	Electro Galvanized	10,000	0619020
1-1/4"	1"	Electro Galvanized	10,000	0619070



15.5GA FLOORING STAPLE

Used for tongue and groove flooring.



FITS MOST FLOORING STAPLERS

BOSTITCH
M111FS

DUO-FAST
FM 200C

GRIP-RITE
GR200LCN

PORTA-NAILS
470

PORTER CABLE
FCN200

POWER NAIL
445/45R
SESCO
SHF15
SHF50

STANDARD CROWN

LENGTH	GAUGE	CROWN	COATING	COUNT	SKU #
2"	15.5GA	1/2"	Electro Galvanized	5000	0516130



FLOORING CLEAT

Used for tongue and groove flooring.



FITS MOST FLOORING CLEAT NAILERS

BOSTITCH
M111FN/MFN-201

DUO-FAST
FM 200S

GRIP-RITE
GR200FS

METABO (HITACHI)
N50009AF

PORTA-NAILS
472

PORTER CABLE
445FS


SPOTNAIL
FS7550
MS7564
FCL2650

LENGTH	CROWN	COATING	COUNT	SKU #
2"	Cleat	Electro Galvanized	1000	0949200



WIRE COIL ROOFING

Used for applying roofing asphalt shingles, insulation board, and felt to wood substructures.



FITS MOST 15° COIL ROOFING NAILERS

B&C EAGLE
CN45R

BOSCH
RN175

BOSTITCH
N12/RN45/RN46/
RN46-1

CAMPBELL
NC1545

DEWALT
D51321/DW45RN

DUO-FAST
RN 175

FASCO
CN15W

HAUBOLD
RNC-45W

METABO (HITACHI)
NV45AB
NV45AB2
NV45AC/NV45AE

INTERCHANGE
CN45R

MAKITA
AN45/AN453

MAX
CN450R/CN445R

MILWAUKEE
7120-21/7220-20

PASLODE
3175-RU/3175/44RU
R175-C

PORTER CABLE
RN175/RN175A

RIGID
R175RNA

SENCO
ROOF PRO 450
ROOF PRO 455XP

SPOTNAILS
VRN45

WIRE COIL ROUND HEAD

LENGTH	DIAMETER	DESCRIPTION	COATING	COUNT	SKU #
3/4"	.120	Smooth	Electro Galvanized	7200	0611030
7/8"	.120	Smooth	Electro Galvanized	7200	0611040
1"	.120	Smooth	Electro Galvanized	7200	0611050
1-1/4"	.120	Smooth	Electro Galvanized	7200	0611070
1-1/4"	.120	Smooth	Electro Galvanized	600	0611071
1-1/2"	.120	Smooth	Electro Galvanized	7200	0611090
1-3/4"	.120	Smooth	Electro Galvanized	7200	0611110
1-1/4"	.120	Ring	Electro Galvanized	7200	0611072
1-1/4"	.120	Smooth	Hot Dipped Galvanized	7200	0611073
1-1/2"	.120	Smooth	Hot Dipped Galvanized	7200	0611093
1-1/4"	.120	Ring	Hot Dipped Galvanized	7200	0611075
1-1/2"	.120	Ring	Hot Dipped Galvanized	7200	0611095
1-3/4"	.120	Ring	Hot Dipped Galvanized	7200	0611115
1-1/4"	.120	Ring	304 Stainless Steel	3600	0611074
1-1/2"	.120	Ring	304 Stainless Steel	3600	0611094
1-3/4"	.120	Ring	304 Stainless Steel	3600	0611114
1-1/4"	.120	Ring	316 Stainless Steel	3600	0611074S
1-1/2"	.120	Ring	316 Stainless Steel	3600	0611094S
1-3/4"	.120	Ring	316 Stainless Steel	3600	0611114S
1-1/2"	.120	Ring	MIAMI DADE	3600	0611092MD

A-11/T-50 Staples below are compatible with:



HT38
HAMMER TACKER
 #0136450

21^{GA}
 A-11

21GA A-11 FELT STAPLES



FITS MOST A-11 STYLE STAPLERS

BOSTITCH	T36-50
438-S4	T40-S4
538-S4	T-50-S4/T55-S4
650-S4	
T-36-1T38	

STANDARD CROWN

LENGTH	CROWN	GUAGE	COATING	COUNT	SKU #
3/8"	3/8"	21ga	Electro Galvanized	5000	0940042
5/16"	3/8"	21ga	Electro Galvanized	5000	0940035

21^{GA}
 STCR

21GA STCR FELT STAPLES



FITS MOST STCR STYLE STAPLERS

BOSTITCH	JK	RAPID
PC4000/PC5000	694	31
T15/T15C/T58D4		
H30-6/H30-8	PREBANA	
P6C-6/HP6C-8	HHD-10	
T5-6		

STANDARD CROWN

LENGTH	CROWN	GUAGE	COATING	COUNT	SKU #
3/8"	7/16"	21ga	Electro Galvanized	5000	0940041

20^{GA}
 5010C

20GA 5010C FELT STAPLES



FITS MOST DUO-FAST 50-SERIES STYLE STAPLERS

PASLODE	DUO-FAST	JOSEF KIHLBERG
HT 550, CS5000	SS5020S	64
	SS5020DLAF	
SPOTNAILS	HT550	OMER
PS5016	CT859	50.16CL
PS5016LN	CS-5000	
BS5016AF		FASCO-BECK
35001	BEA	FIB 50-16A
35000	95/16-425	
JS5016/LN		

STANDARD CROWN

LENGTH	CROWN	GUAGE	COATING	COUNT	SKU #
5/16"	1/2"	20ga	Electro Galvanized	5000	0950038



DID YOU KNOW?

National Nail has a brand dedicated to roofing and underlayment fasteners and tools?

Visit www.stingerworld.com for more information.

MERCHANDISING

Dress for Success

From banner signs and door clings that draw customers into your store, to bold header boards, informative aisle violators, color-coded shelf talkers, and counter mats for your contractor desk, these visual aids build brand awareness and make product selection easy.

Header Boards



Aisle Violators



Yard Banner



Counter Mat



Window Cling



Reduced Inventory Investment

Small master counts lower the inventory required on the shelf and increases turns (12 - 1lb boxes per master - and, 4 - 5lb boxes per master).

Smart Packaging

A clean, color-coded trilingual labeling, display masters, and informative P.O.P. make the fastener aisle pop, and product easy to locate.



NATIONAL NAIL®

Your brand experience should be special. At National Nail, our brands should make you a *rock star* when it comes to providing product solutions your customers need. The products position you as an innovation leader with new technologies that make builders better at what they do.

Our goal is to make you the destination for “asked for” brands and products, and we’ll provide you with *Dress for Success* merchandising that brings your customer from the parking lot to the aisle and makes product selection easy.

We want your business to be relevant, and profitable. This makes your customers’ brand experience special!

PROFIT

PACKAGED AND BULK NAILS

- Framing
- Finish
- Roofing
- Specialty
- Masonry
- Staples
- Decking
- Siding
- Caps

PACKAGED AND BULK SCREWS

- Decking
- Drywall
- Multi-Purpose
- Specialty

COLLATED FASTENERS

- Framing
- Roofing
- Finish
- Staples
- Siding
- Metal Connector
- ProjectPac™

CAMO®

EDGE FASTENING

- Edge Screws
(Hand Drive & Collated)

EXTERIOR FACE SCREWS

- Premium Deck Screws
(Hand Drive & Collated)
- Composite Screws
(Hand Drive & Collated)
- Structural Screws
- Premium Trim Screws
- Stainless Steel

TOOLS

- DRIVE™
- EDGE Guides
- LEVER®
- CLIPDRIVE

CLIPS

- Starter Clips
- EDGE®
- WEDGE™
- WEDGEMETAL™

ACCESSORIES

- BLOCK
- DECK TAPE

STINGER

ROOFING/SIDEWALL SOLUTIONS

- Cap Hammers
- Cap Staplers
- Cap Nailers
- Cap Fasteners (Staples, Collated Nails and Hand Drive Nails)
- Coil Roofing Nails
- Hand Drive Roofing Nails
- Hammer Tackers
- EXO Synthetic Underlayment

**INSPIRING
PEOPLE TO
BUILD
BETTER.**



WWW.PRO-FITWORLD.COM

MICHIGAN

2964 Clydon Ave SW
Grand Rapids, MI 49519
800-968-6245

NEW YORK

5985 Tarbell Rd
Syracuse, NY 13206
800-521-1115

GEORGIA

555 Riverside Pkwy, Ste. 100
Austell, GA 30168
877-312-2388

TEXAS

1312 West Crosby Rd
Carrollton, TX 75006
877-312-2388

CALIFORNIA

3765 Channel Dr
West Sacramento, CA 95691
279.236.5850



WWW.NATIONALNAIL.COM